

# WÜRTH LOUIS AND COMPANY

## MAKITA® TOOLS WORLD LEADING PRODUCT INNOVATION

RUSHLESS

For the full Makita offering, see www.wurthlac.com







## **Table of Contents**

#### **CORDLESS TOOL & ACCESSORIES**

| Multi-Tool Kits                | 4 - 6   |
|--------------------------------|---------|
| Driver-Drills, Impact Drivers  | 7 - 11  |
| Bits and Accessories           | 12 - 14 |
| Routers                        | 15      |
| Sanders                        | 16 - 17 |
| Saws (Jig, Circular and Miter) | 18 - 25 |
| Planers                        | 26 - 27 |
| Oscillating Multi-Tool         |         |
| Detail Belt Sander             |         |
| Blower/Inflator                |         |
| HEPA Vacuum                    |         |
| Lighting                       | 32 - 33 |
| Laser Kit                      |         |

#### PNEUMATIC TOOLS

| Stapler                        | 35      |
|--------------------------------|---------|
| Nailers (Pin, Brad and Finish) | 36 - 39 |
| Compressors                    | 40 - 41 |

#### CORDED TOOLS

| Routers             | 42 - 45 |
|---------------------|---------|
| Sanders             | 46 - 49 |
| Plunge Circular Saw | 50      |
| Miter Saw           | 51      |
| Plate Joiner        |         |
| Planers             | 53      |
| Heat Gun            | 54      |

#### ACCESSORIES

| Blades (Jig Saw, Circular and Miter) 55 - 59 |
|--|
| Guide Rails and Accessories 60 - 61          |
| Oscillating Multi-Tool Accessories           |
| Batteries and Chargers                       |
| Work Gloves                                  |

Makita<sup>®</sup> Corporation was founded in 1915 as an electric motor sales and repair company. Today, as a global brand in over 40 countries, Makita<sup>®</sup> is an innovation leader, manufacturing best-in-class products at 11 plants operating in 9 countries. The unmatched quality and durability of Makita<sup>®</sup> products is driven by the company's strong R&D capabilities, and have earned the trust of professional users worldwide. Every day, on job sites around the world, Makita<sup>®</sup> delivers the power, performance and durability that professional users demand with products that are more compact, have less vibration and feel better.




| 2018 - | Auto-Start Wireless System |
|--------|----------------------------|
|        | Technology                 |
| 2015 - | Advanced Anti-Vibration    |
| 2014 - | X2 Technology              |
| 2005 - | 18v Lithium-Ion Platform   |
| 2004 - | Brushless Tool             |
| 2003 - | Slide Battery              |
| 1988 - | Impact Driver              |
|        | Battery                    |
| 1978 - | Cordless Drill w/Removable |



Makita's commitment to the trades is evident in the size of their 18V Lithium-Ion Line-up - over 325 tools and growing!









## **18V LXT® Sub-Compact Brushless 2 Piece Combo Kit**



Tnakita

- Driver-Drill weighs only 2.9 lbs. with battery for reduced operator fatigue
- Mechanical variable 2-speed transmission (0-500 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- Makita-Built Brushless Motor delivers 350 in.lbs. of Peak Torque
- Engineered with a metal jampot design for increased durability
- Impact Driver weighs only 2.6 lbs. with battery for reduced operator fatigue
- Assist Mode (A-mode) feature helps eliminate "screw cam-out" and "cross threading" by driving at low speed until impact begins
- Variable 2-speed Impact Driver (0-1,300/0-3,000 RPM & 0-2,000/0-4,100 IPM) for a wide range of fastening applications
- Makita-built Brushless Motor delivers 1,240 in.lbs. of Max Torque in an ultra compact design
- Ideal for work in tight spaces

Takita

**MKCX203SYB includes:** 18V LXT<sup>®</sup> Sub-Compact Brushless 1/2" Driver-Drill (XFD15ZB), 18V LXT<sup>®</sup> Sub-Compact Brushless Impact Driver (XDT18ZB), 18V LXT<sup>®</sup> Lithium-Ion Charger (DC18SD), (2) 18V Compact Lithium-Ion Battery, Tool Bag

| ltem #     | Description                   | Battery &<br>Charger<br>Included | Ah  | Price    |
|------------|-------------------------------|----------------------------------|-----|----------|
| МКСХ2035ҮВ | 18V Sub-Compact Driver-Drill/ | Yes                              | 1.5 | \$239.00 |
|            | Impact Driver <b>Kit</b>      |                                  | 1.0 | φ207.00  |













## **18V LXT® Brushless 2 Piece Combo Kit**



Tnakita

**MKXT269M includes:** 18V LXT® Compact Brushless 1/2" Hammer Driver-Drill (XPH12Z), 18V LXT® Brushless Impact Driver (XDT13Z), (2) 18V LXT® Lithium-Ion 4.0Ah Battery (BL1840B), 18V LXT® Lithium-Ion Rapid Optimum Charger (DC18RC), Tool Bag



- Efficient BL<sup>™</sup> Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge
- The BL<sup>™</sup> Brushless Motor eliminates carbon brushes, enabling the BL<sup>™</sup> Motor to run cooler and more efficiently for longer life
- The electronically-controlled BL<sup>TM</sup> Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Variable 2-speed 1/2" Hammer Driver-Drill (0-500 & 0-2,000 RPM) with BL<sup>™</sup> Brushless Motor delivers 530 in.lbs. of Max Torque; weighs only 4.2 lbs. with battery
- Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) with BL<sup>™</sup> Brushless Motor delivers 1,500 in.lbs. of Max Torque; weighs only 3.3 lbs. with battery
- Hammer Driver-Drill features Extreme Protection Technology (XPT<sup>™</sup>) which is engineered to provide increased dust and water resistance in harsh job site conditions

| ltem #   | Description                                  | Battery &<br>Charger<br>Included | Ah  | Price    |
|----------|--|----------------------------------|-----|----------|
| MKXT269M | 18V Hammer-Drill/Impact<br>Driver <b>Kit</b> | Yes                              | 4.0 | \$289.00 |













## **18V LXT® 10 Piece Woodworking Combo Kit**



Tnakita<sup>°</sup>

MKXT1001SM includes: 18V LXT® Tools: Compact Brushless 1/2" Hammer Driver-Drill (XPH12Z), Impact Driver (XDT13Z), Circular Saw (XSS02Z), Jig Saw (XVJ03Z), Oscillating Multi-Tool (XMT03Z), Random Orbit Sander (XOB01Z), Palm Router (XTR01Z), 3-1/4" Planer (XPK01Z), Recipro Saw (XRJ04Z), and 18V LXT® / 12V max CXT® Bluetooth® Job Site Charger / Radio (XRM10), 18V LXT® Lithium-Ion 4.0Ah Battery, 2/pk (BL1840B-2), Tool Bag w/Wheels (831269-3)

- Jig Saw delivers 0-2,600 strokes per minute for faster and more efficient cutting; weighs only 6.4 lbs. with battery for reduced operator fatigue
- Random Orbit Sander incorporates a large 1/8" random orbit action engineered for faster sanding and swirl-free finish
- Compact Router equipped with electronically-controlled Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Planer equipped with 2-blade cutterhead with double edge carbide blades for added performance and smooth finish
- Reciprocating Saw provides 0-2,800 SPM with "tool-less" blade changes and weighs only 8.3 lbs. with battery
- Job Site Radio is equipped with Bluetooth® to wirelessly connect your mobile device to play music while delivering rich stereo sound from two powerful 3.5" side-firing speakers
- Makita technology delivers category-leading charge time, so the battery spends more time working and less time sitting on the charger

| Item #     | Description                                    | Battery &<br>Charger<br>Included | Ah  | Price      |
|------------|--|----------------------------------|-----|------------|
| MKXT1001SM | 18V 10 Piece Wood-<br>working Combo <b>Kit</b> | Yes                              | 4.0 | \$1,200.00 |

#### IMPACT DRIVER



Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) provides 1,500 in.lbs. of Max Torque

#### MULTI-TOOL



Variable speed control dial (6,000-20,000 OPM) enables user to match the speed to the application

## HAMMER DRILL



Variable 2-speed 1/2" Hammer Driver-Drill (0-500 & 0-2,000 RPM) (0-7,500 & 0-30,000 BPM)

#### **CIRCULAR SAW**



6-1/2" Circular Saw delivers 3,700 RPM for faster cutting and ripping through wood











## 18V LXT<sup>®</sup> Sub-Compact Brushless 1/2" Driver-Drill




- Ideal for working in tight spaces
- Dual L.E.D. lights illuminate the work area
- Ergonomically designed handle with rubberized soft grip provides increased comfort
- BL<sup>™</sup> Brushless Motor delivers 350 in.lbs. of Max Torque
- Convenient 1/2" keyless chuck for fast and easy bit installation and removal
- Electric brake for maximum productivity

MKXFD15ZB includes: Tool only.

**MKXFD15SY1B Kit includes:** XFD15ZB Tool, 18V LXT<sup>®</sup> Lithium-Ion Charger (DC18SD), 18V Compact Lithium-Ion Battery, and Tool Bag.

| ltem #      | Description                                  | Battery &<br>Charger<br>Included | Ah  | Variable<br>Speed | Price    |
|-------------|--|----------------------------------|-----|-------------------|----------|
| MKXFD15ZB   | 18V Sub-Compact Driver-Drill Only, Bare Tool | No*                              | -   | Yes               | \$124.00 |
| MKXFD15SY1B | 18V Sub-Compact Driver-Drill <b>Kit</b>      | Yes                              | 1.5 | Yes               | \$179.00 |

#### \*Battery and charger not included, see page 63.



Weighs only 2.9 lbs. with battery for reduced operator fatigue (battery not included)

Compact and ergonomic design at only 5-7/8" long

# DURABILITY

Engineered with a metal jampot design for increased durability



Mechanical variable 2-speed transmission (0-500 & 0-1,700 RPM)













## **18V LXT® Sub-Compact Brushless Impact Driver**



- Weighs only 2.6 lbs. with battery for reduced operator fatigue
- Ideal for working in tight spaces
- BL<sup>™</sup> Brushless Motor delivers 1,240 in.lbs. of Max Torque in an ultra compact design
- Dual L.E.D. lights illuminate the work area
- Ergonomically designed handle with rubberized soft grip provides increased comfort

**MKXDT18SY1B includes:** XDT18ZB Tool, 18V LXT<sup>®</sup> Lithium-Ion Charger (DC18SD), 18V Compact Lithium-Ion Battery, and Tool Bag.



| ltem #      | Description                                 | Battery<br>&<br>Charger<br>Included | Ah  | Variable<br>Speed | Impacts<br>per<br>Minute | Price    |
|-------------|---|-------------------------------------|-----|-------------------|--------------------------|----------|
| MKXDT18SY1B | 18V Sub-Compact<br>Impact Driver <b>Kit</b> | Yes                                 | 1.5 | Yes               | 0 - 2,000/<br>0 - 4,100  | \$179.00 |













## **18V LXT® Brushless Impact Driver**

Tnakita<sup>®</sup>



- Convenient 1/4" hex chuck for quick bit changes
- Built-in dual L.E.D. lights illuminate the work area
- Rubberized soft grip provides increased comfort on the job
- Metal gear housing for increased job site durability
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum fastening and driving power

MKXDT13Z includes: Tool only.

| ltem #   | Description                     | iption Battery & Variable<br>Charger Speed | Impacts<br>per Minute | Price     |          |
|----------|---------------------------------|--|-----------------------|-----------|----------|
| MKXDT13Z | 18V Impact Driver,<br>Bare Tool | No*  | Yes                   | 0 - 3,600 | \$149.00 |

\*Battery and charger not included, see page 63.















## 18V LXT<sup>®</sup> Brushless Quick-Shift Mode<sup>™</sup> 3-Speed Impact Driver



- Tightening Mode (T-mode) for faster tightening of self-drilling screws; helps prevent damage to the screw or workpiece
- 3-speed power selection switch (0-1,100 / 0-2,100 / 0-3,600 RPM & 0-1,100 / 0-2,600 / 0-3,800 IPM) provides precise fastening control for a wide range of applications
- Weighs only 3.3 lbs. with battery (battery not included) for reduced operator fatigue
- All metal gear housing for increased job site durability
- Convenient one-touch 1/4" hex chuck for quick bit changes
- Dual L.E.D. lights with an independent on/off switch illuminate the work area
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum fastening and driving power

#### MKXDT14Z includes: Tool only.

| ltem #   | Description                                 | Battery &<br>Charger Included | Variable<br>Speed | Impacts per Minute            | Price    |
|----------|---|-------------------------------|-------------------|-------------------------------|----------|
| MKXDT14Z | 18V 3-Speed Impact Driver, <b>Bare Tool</b> | No*                           | Yes               | 0 - 1,100/0 - 2,600/0 - 3,800 | \$159.00 |

#### \*Battery and charger not included, see page 63.















## 18V LXT<sup>®</sup> Brushless Quick-Shift Mode<sup>™</sup> 4-Speed Impact Driver



MKXDT19Z includes: Tool only.

Tnakita

**MKXDT19T Kit includes:** XDT19Z Tool, (2) 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT<sup>®</sup> Lithium-Ion Rapid Optimum Charger (DC18RC), and Tool Bag.

- Quick-Shift Mode<sup>™</sup> uses the brushless motor's electronic controls to find the best balance of speed and torque for each application for more efficient fastening
- 4-speed power selection (0-1,100/ 0-2,100/ 0-3,200/ 0-3,600 RPM & 0-1,100/ 0-2,600/ 0-3,600/ 0-3,800 IPM) provides precise fastening control for a wide range of applications
- Additional one-touch 4-speed power selector button under the chuck for added convenience
- Designed with dual ball bearing chuck to reduce bit wobble and run out
- Built-in L.E.D. lights on both sides helps eliminate shadows and illuminate a larger area
- Convenient one-touch 1/4" hex chuck for quick bit changes
- All metal gear housing for increased job site durability
- Makita's proprietary hammer and anvil impact mechanism is manufactured using the best raw materials with the highest quality steel and unique heat hardening process for maximum

| ltem #   | Description                          | Battery & Charger Included | Ah  | Price    |
|----------|--------------------------------------|----------------------------|-----|----------|
| MKXDT19Z | 18V 4-Speed Impact Driver, Bare Tool | No*                        | -   | \$234.00 |
| MKXDT19T | 18V 4-Speed Impact Driver <b>Kit</b> | Yes                        | 5.0 | \$429.00 |

#### \*Battery and charger not included, see page 63.

















## Impact XPS<sup>®</sup> Bits



#### Impact XPS® Insert, Power Bits and Sets

- Unique Torque Absorbing Shoulder and Base Power Rings designed to help improve bit life performance
- Matte Nickel surface for best in class corrosion resistance, laser etched for easy size identification
- For use with high torque impact drivers and driver-drills

|       | ۱ . <u> </u> |          |      |        |          |                |
|-------|--------------|----------|------|--------|----------|----------------|
|       | ltem #       | Drive    | Size | Length | Per Pack | Price per Pack |
|       | MKE-00664    | Phillips | #2   | ]"     | 15       | \$13.97        |
| (PH2) | MKE-00773    | Phillips | #2   | 2"     | 3        | \$6.97         |
|       | MKE-00583    | Square   | #2   | 1"     | 5        | \$6.97         |
|       | MKT-05050    | Square   | #2   | 1"     | 25       | \$16.33        |
|       | MKE-00804    | Square   | #2   | 2"     | 3        | \$6.97         |
|       | MKE-01052    | Square   | #2   | 2"     | 15       | \$16.97        |
| (120) | MKE-00620    | Torx     | T20  | 1"     | 5        | \$6.97         |
|       | MKE-00848    | Torx     | T20  | 2"     | 3        | \$6.97         |
|       | MKE-00636    | Torx     | T25  | 1"     | 5        | \$6.97         |
|       | MKE-00854    | Torx     | T25  | 2"     | 3        | \$6.97         |



#### MKE-01666

- Impact XPS® 35 Piece Impact Bit Set
- Includes: (2) 1-3/4" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (25) 1" Insert Bits, (6) 2"
  Power Bits, (1) 1/4" Socket Adapter

Price: \$22.97



#### MKE-01644

- Impact XPS® 60 Piece Impact Bit Set
- Includes: (2) 1-3/4" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (46) 1" Insert Bits, (10) 2" Power Bits, (1) 1/4" Socket Adapter

Price: \$37.97



#### MKT-05941

- Impact XPS® 50 Piece Impact Driving and Fastening Bit Set
- Includes: (2) 2-9/16" Magnetic Nutsetters, (1) 2-3/8" Insert Bit Holder, (36) 1" Insert Bits, (8) 2" Power Bits, (1) 3/8" Socket Adapter, (2) 3/8" Drive Deep Well Sockets (1) Mini Case
   Price: \$34.97





## Impact XPS<sup>®</sup> 3" Magnetic Insert Bit Holder



- Provides convenient pick-up and retention of fasteners
- Rare earth magnet increases holding power compared to standard magnets
- C-ring for added insert bit retention
- Two-piece design is engineered to allow the torsion technology to fully activate
- Ideal for use with Makita Impact XPS® Insert Bits

Includes: 1 each 1/4", 5/16" and 3/8" and Nutsetter

| ltem #    | Per Pack | Price per Pack |  |
|-----------|----------|----------------|--|
| MKE-01367 | 1        | \$6.97         |  |
| MKT-05424 | 10       | \$46.04        |  |

### Impact XPS® Mag Boost





- Up to 10 times more magnetic than standard power bits
- Great for holding screws to the end of the power bit in tight situations and to extend its reach
- Compact and universal fit design allows for use with most common power bits
- Built with 2 rare earth magnets for increased holding power

| ltem #    | Price Each |
|-----------|------------|
| MKE-01345 | \$4.97     |





## 12" Flexible Impact Bit Holder





- Designed exclusively for high-torque impact drivers
- Ergonomic grip for comfort
- Convenient 12" length for those hard to reach places
- Ideal for driving screws in a wide variety of heavy-duty fastening applications including deck building, framing and installing plywood subfloor
- 1/4" hex shank works directly with both Impact Drivers and Drill-Drivers

| ltem #    | Price Each |  |
|-----------|------------|--|
| MKB-51873 | \$45.24    |  |

## 3/8" Keyless Chuck Adapter



- Designed to accept round and hex shank bits
- For converting an impact driver into a driver drill
- Steel construction for increased durability
- Accepts bits with up to a 3/8" shank

| ltem #     | Price Each |
|------------|------------|
| MK763198-1 | \$39.73    |

## Impact XPS® 3 Piece 2-9/16" Magnetic Nutsetter Set



- Powerful magnetization provides convenient pick-up and retention of fasteners
- Lobular design drives along flats to reduce rounding of hex fasteners
- Flat edges at hex opening for full contact with flanged hex head screws
- Ideal for driving hex head nuts and self-tapping screws in a wide variety of applications
- Includes: 1 each 1/4", 5/16" and 3/8" and Nutsetter

| ltem #    | Description                             | Price   |
|-----------|---|---------|
| MKE-01432 | 2-9/16" Magnetic Nutsetter Set, 3 Piece | \$11.47 |





## **18V LXT® Brushless Palm Router**



- LXT<sup>®</sup> technology delivers 380 feet of cutting performance in red oak using a 1/4" (6mm) straight bit at a 5/32" (4mm) depth with a 5.0Ah battery
- Electronic speed control maintains constant speed under load
- On/Off button with separate lock button helps prevent accidental start-up of the tool for user and workpiece protection
- Soft start feature for smoother start-ups and better accuracy
- Slim and ergonomically designed body with rubberized grip for increased comfort & control
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- High visibility base design for improved handling and performance
- Shaft lock for quick and easy bit changes
- Easy-to-read depth scales

\*Battery and charger not included, see page 63.

MKXTR01Z includes: XTR01Z Tool, Spanner Wrench (781011-1), Spanner Wrench (781039-9), 1/4" Collet (763637-1), 3/8" Collet (763619-3), Straight Guide (122965-7), Template Guide (343577-5), Trimmer Base (196613-4)

**MKXTR01T7 includes:** All of the above, plus: (2) 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT<sup>®</sup> Lithium-Ion Rapid Optimum Charger (DC18RC), MAKPAC Interlocking Case, X-Large (197213-3), Plunge Base (196094-2), Template Guide 5/8" (344364-5)

| ltem #    | Description                | Battery &<br>Charger<br>Included | Ah  | Price    |
|-----------|----------------------------|----------------------------------|-----|----------|
| MKXTR01Z  | 18V Palm Router, Bare Tool | No*                              | -   | \$199.00 |
| MKXTR01T7 | 18V Palm Router <b>Kit</b> | Yes                              | 5.0 | \$489.00 |





Smooth rack-and-pinion fine depth adjustment system for more precise settings

















## 18V LXT<sup>®</sup> 5" Random Orbit Sander, Hook & Loop



- One-touch electronic speed control switch provides fast, medium and low settings
- Pad control system for controlled pad speed upon start-up
- Dust-sealed switch and bearing for longer tool life
- Oversized sealed-ball bearing construction for longer tool life

MKXOB01Z includes: XOB01Z Tool, Dust Bag (166078-4), 5" Round Abrasive Disc, Hook & Loop, 120 Grit (794520-1-1), 5" 8 Hole Backup Pad H/L (743081-8)

|         | 1   | 1       |
|---------|---|---------|
| SIL     | 1   | Thatita |
| Trakita | The second se | -       |
| -       |   |         |

| ltem #   | Description                    | Battery &<br>Charger<br>Included | Orbit | Orbits<br>per<br>minute | Price    |
|----------|--------------------------------|----------------------------------|-------|-------------------------|----------|
| MKXOB01Z | 18V 5" Random<br>Orbit Sander, | No*                              | 1/8″  | 7,000/<br>9,500/        | \$139.00 |
|          | Bare Tool                      |                                  |       | 11,000                  |          |

\*Battery and charger not included, see page 63.











## 18V LXT<sup>®</sup> 1/4 Sheet Finishing Sander



- Large clamping lever for quick and easy paper installation
- Ergonomically designed rubberized grip for increased comfort and control
- Built-in dust port; easy connection to Makita vacuum system for a cleaner work environment
- Weighs only 3.8 lbs. with battery (battery not included)

**MKXOB02Z includes:** XOB02Z Tool, Dust Bag (166078-4), Punch Plate (450066-4), (1) Sheet Each 4-1/2" x 5-1/2" Abrasive Paper in 60, 100 and 150 Grit.

|   | 0 | MC   | 111 | 5 |
|---|---|------|-----|---|
|   |   | Thak |     | - |
| - |   |      |     |   |
| C | - | OP   |     |   |

| ltem #       | Description                                      | Battery<br>&<br>Charger<br>Included | Price    |
|--------------|--|-------------------------------------|----------|
| MKXOB02Z     | 1/4 Sheet Finishing Sander, Bare Tool            | No*                                 | \$139.00 |
| MK742509-3-5 | White AO Sheets, 4-1/2 x 5-1/2, 60 Grit, Pack 5  | -                                   | \$3.70   |
| MK742523-9-5 | White AO Sheets, 4-1/2 x 5-1/2, 80 Grit, Pack 5  | -                                   | \$3.70   |
| MK742510-8-5 | White AO Sheets, 4-1/2 x 5-1/2, 100 Grit, Pack 5 | -                                   | \$3.70   |
| MK742511-6-5 | White AO Sheets, 4-1/2 x 5-1/2, 150 Grit, Pack 5 | -                                   | \$3.70   |
| MK742512-A-5 | White AO Sheets, 4-1/2 x 5-1/2, 180 Grit, Pack 5 | -                                   | \$3.70   |
| MK742513-A-5 | White AO Sheets, 4-1/2 x 5-1/2, 240 Grit, Pack 5 | -                                   | \$3.70   |

\*Battery and charger not included, see page 63.

#### COMFORT



Reduced vibration in loaded down operation and ergonomic contoured grip



Corded performance with cordless convenience

#### DUST MANAGEMENT



Through-the-pad dust collection system with built-in dust port; dust bag and vacuum compatible

#### PERFORMANCE



Two speed settings (11,000/14,000 OPM) with one-touch electronic speed control









## 18V LXT<sup>®</sup> Brushless Jig Saw, D-Handle



- 3 orbital settings plus straight cutting for use in a wide range of materials
- Cuts up to 135 ft. of 1" MDF on a single charge using 5.0Ah battery BL1850B (battery not included)
- Built-in L.E.D. light illuminates the work area
- Large 2-finger variable speed trigger for added convenience with lock-on button
- Electric brake for maximum productivity
- Soft start feature for smooth start-ups
- Built-in dust blower clears the line of cut for increased accuracy
- Base bevels and locks from 0°-45° left or right for more precise bevel cuts

**MKXVJ04Z includes:** XVJ04Z Tool, (3) Jig Saw Blades, one each for cutting wood, metal and wood/metal



| ltem #   | Description  | Battery &<br>Charger<br>Included | Variable<br>Speed | Strokes<br>per<br>Minute | Price    |
|----------|--|----------------------------------|-------------------|--------------------------|----------|
| MKXVJ04Z | 18V Jig Saw, D-Handle<br>T-Shank, <b>Bare Tool</b> | No*                              | Yes               | 0 - 3,000                | \$199.00 |

\*Battery and charger not included, see page 63.

#### ACCURACY



Variable speed trigger, speed dial and soft no-load mode provides more accurate cutting



Most compact and lightweight Jig Saw in Makita LXT class; weighs only 3.8 lbs. (tool only)

## CONVENIENCE



Tool-less blade change lever allows for convenient blade installation and removal



Brushless motor delivers 0 - 3,000 Strokes Per Minute for a variety of cutting applications









## 18V LXT<sup>®</sup> Brushless Jig Saw, Barrel Grip



Tnakita

- Cuts up to 135 ft. of 1" MDF on a single charge using 5.0Ah battery BL1850B (battery not included)
- Variable 5-speed control dial (800-3,000 SPM) enables user to match the speed to the application
- 3 orbital settings plus straight cutting for use in a wide range of materials
- Base bevels and locks from 0°- 45° left or right for more precise bevel cuts
- Built-in L.E.D. light illuminates the work area and features light reduction function to reduce glare when tool is being used upside down
- On/Off button with separate lock button for work piece protection
- Built-in dust blower clears the line of cut for increased accuracy
- Electric brake for maximum productivity

MKXVJ05Z includes: XVJ05Z Tool, (2) Jig Saw Blade 4-1/8" 9TPI (792529-7-1); Jig Saw Blade HSS, 3" x 24TPI (792473-8-1); Jig Saw Blade HCS, 4-1/8" x 9TPI (792729-9-1), Dust Extracting Attachment, XVJ04 (413F05-1), Dust Cover, XVJ04 (458191-5)

| ltem #   | Description  | Battery &<br>Charger | Price    |
|----------|--|----------------------|----------|
|          |  | Included             |          |
| MKXVJ05Z | 18V Jig Saw, Barrel Grip T-Shank, <b>Bare Tool</b> | No*                  | \$209.00 |

#### \*Battery and charger not included, see page 63.

ACCURACY



Variable speed dial and soft no-load mode provides more accurate cutting



Ergonomically compact barrel grip design allows closer-to-work control and more precise cuts



Tool-less blade change lever allows for convenient blade installation and removal



Brushless motor delivers 800 - 3,000 Strokes Per Minute for a variety of cutting applications













## 36V (18V X2) LXT<sup>®</sup> Brushless 6-1/2" Plunge Circular Saw





MKXPS01PTJ includes: 36V (18V X2) LXT® Brushless 6-1/2" Plunge Circular Saw (XPS01Z), (2) 18V LXT® Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT® Lithium-Ion Dual Port Charger (DC18RD), 6-1/2" 55T C.T. Cordless Plunge Saw Blade, (B-57071), Hex Wrench (783203-8), MAKPAC Interlocking Case, X-Large (197213-3) and Medium (197211-7)

- Makita-Built electronically controlled BL<sup>™</sup> Brushless Motor delivers 6,300 RPM for maximum performance and 50% longer run time per charge
- Ideal for cutting large wood panels, other wood materials including melamine and MDF, aluminum, and Corian<sup>®</sup> with optional, material specific blades (sold separately)
- Close to the wall cutting (11/16") for expanded cutting applications
- Large cutting capacity (2-3/16" at 90°; and 1-9/16" at 45°)
- Bevel capability (-1° to 48°) with positive stops at 22.5° and 45°
- Electronic speed control maintains constant speed under load for smooth cutting
- Soft start feature for smooth start-ups
- Built-in depth stop allows a preliminary first cut of (5/64") 2mm to (7/64") 3mm to be performed prior to cutting through the entire material for clean and splinter-free cutting
- Large 1-7/16" rear dust port directs material away from the operator and easily connects to a vacuum system
- Saw works with other competitive guide rails

| ltem #     | Description                                  | Battery &<br>Charger<br>Included | Ah  | Arbor | Price    |
|------------|--|----------------------------------|-----|-------|----------|
| MKXPS01PTJ | 36V 6-1/2" Plunge<br>Circular Saw <b>Kit</b> | Yes                              | 5.0 | 20mm  | \$629.00 |











Pricing Effective 5/15/2024. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthlac.com • 800-422-4389





## 18V LXT<sup>®</sup> Brushless 6-1/2" Circular Saw



- Powerful Makita-Built electronically controlled brushless motor delivers 5,000 RPM for faster cutting and ripping
- Die-cast magnesium base, blade guard and safety cover provide a lightweight, durable design
- Large cutting capacity (2-1/4" at 90°) and bevel capacity (0°- 50°)
- Positive stop at 45° with fine adjustment
- Dual L.E.D. lights illuminate the work area
- Up to 125 cuts per charge in 2x10 SPF lumber (battery not included)
- Built-in dust blower keeps the line of cut free of debris for more accurate cuts
- Retractable tool hook secures the tool when not in use

MKXSH03Z includes: XSH03Z Tool, 6-1/2" 24TC.T. Saw Blade (A-85092).



| ltem #   | Description                                  | Battery &<br>Charger<br>Included | Arbor | No Load<br>Speed | Price    |
|----------|--|----------------------------------|-------|------------------|----------|
| MKXSH03Z | 18V 6-1/2" Circular<br>Saw, <b>Bare Tool</b> | No*                              | 5/8″  | 5,000 RPM        | \$239.00 |

Battery and charger not included, see page 63.

# CONVENIENCE 3-stage L.E.D. gauge indicates battery

charge level

# ERGONOMICS



Weighs only 7.3 lbs. with battery for reduced operator fatigue (battery not included)

## INNOVATION



Automatic Speed Change<sup>™</sup> technology adjusts speed and torque during operation for optimum performance





BL<sup>™</sup> Motor delivers 5,000 RPM for faster cutting and ripping











Pricing Effective 5/15/2024. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthlac.com • 800-422-4389

21



## 36V (18V X2) LXT<sup>®</sup> Brushless 7-1/4" Circular Saw




Tnakita<sup>°</sup>

MKXSH06PT includes: XSH06Z Tool, (2) 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT<sup>®</sup> Lithium-Ion Dual Port Charger (DC18RD), 7-1/4" 24T C.T. Circular Saw Blade (B-61656), Hex Wrench (783204-6), Dust Extracting Attachment (196520-1), Tool Bag (831271-6)

- Makita-Built electronically controlled BL<sup>™</sup> Motor delivers 6,000 RPM for maximum performance and 50% longer run time per charge
- Electric brake for maximum productivity
- Die-cast magnesium base, blade guard, and blade cover provide a lightweight, durable design
- Rubberized soft grip handle provides increased comfort on the job
- 3-stage L.E.D. gauges indicate battery charge levels
- On-board blade wrench for convenience
- Flat motor housing design for stability when changing the blade
- Built-in dust blower cleans the line of cut for operator accuracy
- Dual L.E.D. lights illuminate the work area
- Included dust nozzle accessory directs material away from the operator; allows connection to a vacuum for improved dust collection
- 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah batteries (BL1850B) feature an integrated L.E.D. battery charge level indicator

| ltem #    | Description                 | Battery & Charger Included | Ah  | Arbor | No Load Speed | Price    |
|-----------|-----------------------------|----------------------------|-----|-------|---------------|----------|
| MKXSH06PT | 36V 7-1/4" Circular Saw Kit | Yes                        | 5.0 | 5/8″  | 6,000 RPM     | \$399.00 |





## 36V (18V X2) LXT<sup>®</sup> Brushless 7-1/4" Circular Saw, Rear Handle



Tnakita



- Powered by two LXT<sup>®</sup> batteries; X2 LXT<sup>®</sup> technology delivers more power, speed and run time without the hassles of a cord
- Makita-Built electronically controlled brushless motor delivers 5,100 RPM for maximum performance and 50% longer run time per charge
- Electric brake for maximum productivity
- 0°- 53° bevel capacity with positive stops at 22.5°, 45°, and 53°
- Die-cast magnesium base and blade guard along with a die-cast aluminum blade cover and motor housing provide a lightweight, durable design
- Built-in tether notch (tether sold separately)
- Rubberized soft grip handle provides increased comfort on the job
- 3-stage L.E.D. gauges on the tool indicate battery charge levels
- Makita technology delivers category-leading charge time so the batteries spend more time working and less time sitting on the charger
- 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah batteries (BL1850B) feature an integrated L.E.D. battery charge level indicator

MKXSR01PT includes: XSR01PT Tool, (2) 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT<sup>®</sup> Lithium-Ion Dual Port Charger (DC18RD), 7-1/4" 24T C.T. Circular Saw Blade (B-61656), Hex Wrench (783204-6), Tool Bag (831271-6)

| ltem #    | Description                               | <b>Battery &amp; Charger Included</b> | Ah  | Arbor | No Load Speed | Price    |
|-----------|---|---------------------------------------|-----|-------|---------------|----------|
| MKXSR01PT | 36V 7-1/4" Circular Saw, Rear Handle, Kit | Yes                                   | 5.0 | 5/8″  | 5,100 RPM     | \$399.00 |







secures the tool when not in use





Brushless Motor delivers 5,100 RPM for maximum performance and 50% longer run time per charge













Tnakita<sup>°</sup>



## 36V (18V X2) LXT<sup>®</sup> Brushless 7-1/2" Dual Slide Compound Miter Saw




**MKXSL02Z includes:** XSL02Z Tool, 7-1/2" 40T Carbide-Tipped Miter Saw Blade (A-90629), Dust Bag (122852-0), Vertical Vise (122571-8), Extension Wing (322312-4)

- Two 18V LXT<sup>®</sup> Lithium-Ion Batteries deliver the power and performance of a corded miter saw without leaving the 18V LXT<sup>®</sup> platform
- The electronically-controlled BL<sup>™</sup> Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application
- Large dimensional lumber cutting capacity: 2-1/16" x 11-3/4" at 90° and 2-1/16" x 8-3/8" at 45°
- Positive miter stops at: 0°, 15°, 22.5°, 30° and 45° left and right
- Linear ball bearing system engineered to deliver "dead-on" accurate cuts
- Large aluminum base supports large stock for efficient cutting
- Electric brake for maximum productivity
- Direct drive gearbox for increased cutting efficiency and reduced maintenance
- Soft start suppresses start-up reaction for smooth start-ups and longer gear life

| Item #   | Description                     | Battery & Charger Included | Arbor | No Load Speed | Price    |
|----------|---------------------------------|----------------------------|-------|---------------|----------|
| MKXSL02Z | 36V 7-1/2" Miter Saw, Bare Tool | No*                        | 5/8″  | 5,700 RPM     | \$749.00 |

#### \*Battery and charger not included, see page 63.













## 36V (18V X2) LXT<sup>®</sup> Brushless 10" Dual-Bevel Sliding Compound Miter Saw with Laser



Tnakita

MKXSL06PT includes: XSL06Z Tool, (2) 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah Battery (BL1850B), 18V LXT<sup>®</sup> Lithium-Ion Dual Port Charger (DC18RD), Vertical Vise (122854-6), Dust Bag (122852-0), Triangular Rule (762001-3), Hex Wrench, XSL06 (781044-6), 10" x 5/8" 40T Micro-Polished Miter Saw Blade

- Makita-Built electronically controlled BL<sup>™</sup> Motor delivers 4,400 RPM for faster and smoother cutting
- Dual dust collection ports provide excellent dust extraction performance
- Miters 0-60° left and right; bevels 0-48° left and right
- Positive miter stops at: 0°, 15°, 22.5°, 31.6°, 45°, and 60° left or right
- Integrated 4-3/4" tall fence system for increased rigidity and more precise miter and bevel cuts
- Built-in laser clearly indicates line-of-cut whether blade is turning or not; on-off switch and micro-adjustments for precise "left-of-blade" or "right-of-blade" cutting
- Linear ball bearing system engineered to deliver accurate cuts
- Direct drive motor for increased cutting efficiency and reduced maintenance
- Easy one-touch slide lock for convenience
- See-through blade guard system for greater visibility of blade and line of cut
- 3-stage L.E.D. gauges on the tool indicate battery charge levels

| ltem #    | Description                     | Battery &<br>Charger<br>Included | Ah  | Arbor | No<br>Load<br>Speed | Price      |
|-----------|---------------------------------|----------------------------------|-----|-------|---------------------|------------|
| MKXSL06PT | 36V 10" Miter<br>Saw <b>Kit</b> | Yes                              | 5.0 | 5/8″  | 4,400<br>RPM        | \$1,049.00 |

CAPACITY

Capacity for up to 6-5/8" crown (nested), 5-1/4" base (vertical), and 4x12 crosscuts at 90°



In-front bevel lock for convenient operation



Unique 2-Steel Rail Sliding System offers a reduced footprint and operation flush against a wall

## PRODUCTIVITY



X2 LXT<sup>®</sup> technology delivers up to 334 cuts per charge in 2x4 SPF lumber using two 5.0Ah batteries













Tnakita<sup>®</sup>



## 18V LXT<sup>®</sup> 3-1/4" Planer



**MKXPK01Z includes:** XPK01Z Tool, Socket Wrench (782209-3), 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1)

\*Battery and charger not included, see page 63.

- 2-blade cutterhead with double edge carbide blades for added performance and smooth finish
- High power-to-weight ratio; weighs only 7.4 lbs. with battery (battery not included)
- 15,000 RPM cutterhead engineered for faster stock removal
- Click depth adjustment knob with easy-to-read scale with settings from 0" 5/64" for precise depth adjustment
- Spring-loaded stand elevates the base to protect the blades and workpiece
- Precision machined aluminum base for planing accuracy
- Ergonomically centered balance with rubberized soft grips on the front and rear handles for increased comfort on the job
- Easy blade setting system for fast blade installation
- Electric brake for maximum productivity

| ltem #    | Description   | Battery &<br>Charger<br>Included | Price    |
|-----------|---|----------------------------------|----------|
| MKXPK01Z  | 18V 3-1/4" Planer, Bare Tool                          | No*                              | \$214.00 |
| MKD-46246 | 3-1/4" Planer Blade, Double<br>Edge, Pack of 2        | -                                | \$14.06  |
| MKD-17239 | 3/14" Planer Blade (2) with Set<br>Plate, Double Edge | -                                | \$23.65  |





MKD-46246













## 18V LXT<sup>®</sup> 3-1/4" Planer, AWS<sup>®</sup> Capable



**MKXPK02Z includes:** XPK02Z Tool, Socket Wrench (782209-3), 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1), Guide Rule, Depth Guide

- Makita-Built brushless motor delivers 12,000 RPM for faster stock removal
- 2-blade cutter head with double edge carbide blades for added performance and smooth finish
- High power-to-weight ratio; weighs only 7.8 lbs. with battery (battery not included)
- Click depth adjustment knob with easy-to-read scale with settings from 0" to 7/64" for precise depth adjustment
- Chip ejection can be directed to either side of the tool for convenience
- Ergonomically centered balance with rubberized soft grips on the front and rear handles for increased comfort on the job
- Easy blade setting system for fast blade installation
- Electric brake for maximum productivity

| ltem #    | Description                             | Battery &<br>Charger Included | Price    |  |
|-----------|---|-------------------------------|----------|--|
| ΜΚΧΡΚΟ2Ζ  | 18V 3-1/4" Planer AWS®                  | No*                           | \$309.00 |  |
| MINAPNUZZ | Capable <sup>†</sup> , <b>Bare Tool</b> | INO                           | \$309.00 |  |
| MKD-46246 | 3-1/4" Planer Blade, Double Edge,       |                               | ¢1404    |  |
| MKD-40240 | Pack of 2                               | -                             | \$14.06  |  |
|           | 3/14" Planer Blade (2) with Set Plate,  |                               | ¢00.45   |  |
| MKD-17239 | Double Edge                             | -                             | \$23.65  |  |

 $^{\dagger}$  AWS transmitter pad sold separately (MK198901-5)

\*Battery and charger not included, see page 63.



Precision machined aluminum base for planing accuracy, with 3 chamfering grooves for convenience



Planes up to 3-1/4" wide and 1/8" deep in a single pass with ability to rabbet up to 1" deep



Spring-loaded stand elevates the base to protect the blades and workpiece



















## 18V LXT<sup>®</sup> Sub-Compact Brushless StarlockMax<sup>®</sup> Oscillating Multi-Tool



- Makita-Built brushless motor
- 3.6° oscillation angle engineered for faster, more aggressive cutting and sanding
- Large on/off slide switch with lock-on button for operator convenience
- Built-in L.E.D. light illuminates the work area
- Soft start feature for smooth start-ups
- Ideal for wood flooring, tile, plaster, sheetrock, wood, PVC and a variety of other applications

#### MKXMT04ZB includes: Tool only.

| ltem #    | Description  | Battery &<br>Charger<br>Included | Price    |
|-----------|--|----------------------------------|----------|
| MKXMT04ZB | 18V StarlockMax® Oscillating<br>Multi-Tool, <b>Bare Tool</b> | No*                              | \$249.00 |

\*Battery and charger not included, see page 63.







## 18V LXT<sup>®</sup> Brushless 3/8" x 21" Detail Belt Sander



- Electric brake allows the tool to be repositioned faster for maximum productivity
- Versatile for use in wood and steel applications
- 3 different size arm assemblies available for increased versatility (1/4" & 1/2" sold separately)
- Large 21" belt produces 4-5/16" maximum sanding length for faster work

**MKXSB01Z includes:** XSB01Z Tool, Abrasive Belts and Side handle.

| Item #    | Description                                 | <b>Battery &amp; Charger Included</b> | Price    |
|-----------|---|---------------------------------------|----------|
| MKXSB01Z  | Detail Belt Sander, <b>Bare Tool</b>        | No*                                   | \$339.00 |
| MKA-34447 | Sanding Belt, 3/8" x 21", 40 Grit, Pack 10  | -                                     | \$13.57  |
| MKA-34453 | Sanding Belt, 3/8" x 21", 60 Grit, Pack 10  | -                                     | \$13.57  |
| MKA-34469 | Sanding Belt, 3/8" x 21", 80 Grit, Pack 10  | -                                     | \$13.57  |
| MKA-34475 | Sanding Belt, 3/8" x 21", 100 Grit, Pack 10 | -                                     | \$13.57  |
| MKA-34481 | Sanding Belt, 3/8" x 21", 120 Grit, Pack 10 | -                                     | \$13.57  |

#### \*Battery and charger not included, see page 63.











## **18V LXT® Brushless High Speed Blower/Inflator**



Tnakita

MKXSA01Z includes: XSA01Z Tool, High Speed Dust Blower Nozzle, 3 mm (191X11-1), High Speed Dust Blower Nozzle, 7 mm (191X13-7), High Speed Dust Blower Nozzle, 13 mm (191X15-3), High Speed Dust Blower Pinch Valve Nozzle (191X17-9), High Speed Dust Blower Wide Angle Nozzle (191X19-5)

- 5 nozzles included for a wide range of applications
- Built-in L.E.D. light illuminates the work area
- In-line fan design provides better tool balance and improved ergonomics
- Filter on blower intake reduces dust being blown through the blower
- Rubberized soft grip provides increased comfort on the job

| ltem #   | Description                                  | Battery &<br>Charger<br>Included | Price    |
|----------|--|----------------------------------|----------|
| MKXSA01Z | 18V High Speed Blower/Inflator,<br>Bare Tool | No*                              | \$194.00 |

#### \*Battery and charger not included, see page 63.





Makita-built brushless motor delivers up to 447 MPH and 39 CFM



Up to 55 minutes of run time with 18V LXT® 6.0Ah battery (battery not included)

COMPACT







4 digitally controlled speeds with 5 nozzles for a wide range of applications





Tnakita



## 18V LXT<sup>®</sup> Brushless 2 Gallon HEPA Filter Portable Wet/Dry Dust Extractor/Vacuum




**MKXCV11Z includes:** XCV11Z Tool, Round Wet/Dry HEPA Filter (162518-0), Pre-Filter Set, XCV11Z (199827-4), 5" Black Upholstery Nozzle (458891-7), 7" Black Crevice Nozzle (458919-1), Flexible Anti-Static Hose, 1" x 6.5' (140G04-3)

- Up to 60 minutes of continuous run time using an 18V LXT<sup>®</sup> Lithium-Ion 5.0Ah battery BL1850B (battery not included)
- L.E.D. battery indicator shows charge level for 18V LXT<sup>®</sup> Lithium-Ion battery (battery not included)
- Two tools in one; quickly converts from vacuum to blower for increased versatility
- Two speed push button power selection (high/low) for a variety of applications
- Battery compartment keeps the battery (not included) protected from harmful debris on the jobsite
- Carrying top handle stores out of the way and provides increased comfort during transport
- On-board hose and nozzle storage allow for easy and convenient transport
- Quick-release latch for easy removal and disposal of debris from canister

| ltem #     | Description  | Battery & Charger Included | Price    |
|------------|--|----------------------------|----------|
| MKXCV11Z   | 18V 2G HEPA Wet/Dry Dust Extractor/Vacuum, Bare Tool | No*                        | \$224.00 |
| MK162518-0 | Replacement Round Wet/Dry HEPA Filter                | -                          | \$27.57  |
| MK199827-4 | Replacement Pre-Filter Set                           | -                          | \$24.06  |

#### \*Battery and charger not included, see page 63.

















## 18V LXT<sup>®</sup> L.E.D. Lantern/Flashlight




- Three L.E.D. lighting modes: 360° lantern, 180° lantern or flashlight
- 360° lantern mode provides 620 lumens; 180° lantern mode provides 310 lumens; flashlight mode provides 90 lumens
- 180°-360° lantern lighting allows the user to select between entire work area or specific task illumination
- Up to 11 hours of continuous illumination in 360° lantern mode with a 5.0Ah LXT® battery (battery sold separately)
- Up to 21 hours of continuous illumination in 180° lantern mode with a 5.0Ah LXT® battery (battery sold separately)
- Up to 59 hours of continuous illumination in flashlight mode with a 5.0Ah LXT® battery (battery sold separately)
- Compact and ergonomic design at only 14-3/8" tall

#### MKDML806 includes: Tool only.

| ltem #   | Description                              | Battery & Charger Included | Price   |
|----------|--|----------------------------|---------|
| MKDML806 | 18V L.E.D. Lantern/Flashlight, Bare Tool | No*                        | \$60.55 |

\*Battery and charger not included, see page 63.





Rubberized soft grip provides increased comfort on the job

## CONVENIENCE



Metal hang hook swivels 360° and folds away for added convenience











## 18V LXT<sup>®</sup> Tower Work/Multi-Directional Light

- Daylight white L.E.D. produces a clearer light
  - L.E.D. lights effectively illuminate work area without the high heat of halogens
  - Up to 10 hours of continuous illumination with a 5.0Ah 18V LXT<sup>®</sup> battery on low (battery and charger not included)
  - Up to 3 hours of continuous illumination with a 5.0Ah 18V LXT<sup>®</sup> battery on high (battery and charger not included)
  - Lockable battery compartment
  - Convenient handles and shoulder strap for easy transportation

MKDML814 includes: DML814 Tool, Shoulder Strap, Tool Bag.

| ltem #   | Description  | Battery &<br>Charger<br>Included | Price    |
|----------|--|----------------------------------|----------|
| MKDML814 | 18V Tower Work/Multi-Directional Light, <b>Bare Tool</b> | No*                              | \$424.00 |





\*Battery and charger not included, see page 63.





3-mode operation; delivers 3,000 lumens on High, 1,700 lumens on Medium, and 900 lumens on Low



Extends to an overall height of 7-1/4 ft. with a foldable design for quick setup and takedown



Dust and water-resistant construction (IP55 rated) for operation in harsh job site conditions





Three adjustable light heads rotate 180° vertically







## 12V max CXT<sup>®</sup> Self-Leveling 360° 3-Plane Green Laser



Tnakita


MKSK700GDNAJ includes: SK700GD Tool, 12V max CXT<sup>®</sup> Lithium-Ion 2.0Ah Battery (BL1021B), 12V max CXT<sup>®</sup> Lithium-Ion Charger (DC10WD), Magnetic Green Target Plate (LE00823195), Magnetic L-Adapter, SK700 (LE00929104), Inner Tray, SK700 Lasers (8351P4-9), MAKPAC Interlocking Case, Large (197212-5)

- Green line visibility range up to 115' and detectable up to 230' with Makita Laser Detector (sold separately)
- Eccentric base allow for vertical line adjustment while maintaining the plumb point position (±10°) for increased simplicity and precision
- Fast self-leveling line stability is achieved in up to 3 seconds for increased productivity
- Self-leveling is correctable up to 4° of slope allowing operation on uneven surfaces
- Integrated pendulum lock enables slope incline applications and provides added protection during transport & storage
- Dust and water resistance with IP 54 rating for increased durability
- Highly protected laser windows are recessed for increased durability
- Rubberized housing over-mold for increased protection
- Simplified two button user interface for ease of operation
- Low laser brightness modes conserve battery power for extended run-time performance
- Multi-function magnetic bracket with integrated 1/4" & 5/8" threads allow laser attachment to metal surfaces, wood surfaces or tripods

| Item #       | Description   | Battery & Charger Included | Ah  | Price    |
|--------------|---|----------------------------|-----|----------|
| MKSK700GDNAJ | 12V Self-Leveling 360° 3-Plane Green Laser <b>Kit</b> | Yes                        | 2.0 | \$674.00 |



Sharp laser line with +/-1/16" at 33' for best-in-class accuracy



360° rotating base with fine point adjustment knob

## **RUN TIME**



Makita 12V max CXT<sup>®</sup> 2.0Ah rechargeable battery provides up to 7 hours of continuous run time





3 x 360° laser planes provide reference positions for level, align, plumb and square applications







## Stapler, 18 Gauge, 1/4" Narrow Crown



- "Tool-less" depth adjustment for more precise flush and countersink stapling
- Built-in air duster provides convenient air flow to clear work surface
- Multi-directional exhaust port directs exhaust air away from operator
- Staple reload indicator window alerts the operator when to reload staples
- Housing bumpers protect tool and work surface
- Aluminum body for durability with less weight
- Includes two removable no-mar tips; convenient on tool storage
- Integrated rubber soft grip for operator comfort
- Narrow nose design allows easy stapling access in confined areas
- Ideal for cabinets, shelving, insulation, lattice work, fencing and other woodworking applications
- Minimum recommended air delivery of 1.7 SCFM @ 90PSI
- 3 year warranty

**MKAT638A includes:** AT638A Tool, Pneumatic Nailer Oil (181434-7), Safety Glasses, (2) No-Mar Tip, Air Fitting, Tool Case

| ltem #    | Description                           | Price    |
|-----------|---------------------------------------|----------|
| MKAT638A  | Stapler, 18 Gauge, 1/4" Narrow Crown, | \$159.00 |
| MIRAIO30A | 1/2" - 1-1/2"                         | φ137.00  |

#### CONTROL



2-mode selector switch for control over stapling operation

#### CONVENIENCE



Reversible belt hook allows the tool to remain close

#### EFFICIENCY



Bottom-loading magazine allows user to quickly load staples (1/4" crown from 1/2" to 1-1/2" long)

POWER



Efficient motor design offers leading power performance





## 1-3/8" Pin Nailer, 23 Gauge, 1-3/8"



**MKAF353 includes:** AF353 Tool, Pneumatic Nailer Oil (181434-7), Safety Glasses, (2) No-Mar Tip, Air Fitting, Hex Wrench, Tool Case



- Side, drop-in loading magazine holds up to 130 nails for maximum efficiency
- Built-in air duster provides convenient air flow to clear work surface
- Double, 2-finger trigger for user convenience
- Rear exhaust port directs exhaust air away from operator and work surface
- Includes two removable no-mar tips with sightlines for increased pinning accuracy; convenient on tool storage
- Easy to clear nose for fast and easy nail extraction should a jam occur
- Narrow nose design allows easy nailing access to tight areas and angles
- Magazine self adjusts to the proper fastener length when loaded
- Reversible belt hook allows the tool to remain close
- Housing bumpers protect tool and work surface
- Integrated rubber soft grip for operator comfort
- Ideal for installing moulding, chair rail, tacking trim, glass retainers to doors, cross pinning dowels & joints, cabinets, paneling, glazed bead, craft work, picture frame assembly, window beading, rattan furniture, and a wide variety of other woodworking applications
- Minimum recommended air delivery of .8 SCFM @ 90PSI
- 3 year warranty

| Item #  | Description                                | Price    |
|---------|--|----------|
| MKAF353 | 1-3/8" Pin Nailer, 23 Gauge, 5/8" - 1-3/8" | \$169.00 |

#### CONTROL



Nail lock-out mechanism protects tool and work surface from nail-less blank fires

#### CONVENIENCE



23 gauge pins create minimal nail holes for a faster and more professional looking finish

#### DURABILITY



Aluminum body, magazine, and cylinder for added strength

#### ERGONOMICS



Lightweight design, soft grip, and slim profile for easy operation





#### Brad Nailer, 18 Gauge, 5/8" - 2"



**MKAF506 includes:** AF506 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Powerful motor drives a range of 18 gauge brad nails from 5/8" to 2" into hard or soft wood applications
- Aluminum body, magazine and cylinder for strength and durability; weighs only 2.9 lbs.
- Cast and machined nose piece for precise contact
- Non-marring rubber nose and bumpers protect the wood's surface from being scratched or damaged
- Reversible belt hook allows the tool to remain close
- Dual nail reload indicator window alerts the user when to reload nails to avoid blank drives
- Multi-directional exhaust port directs exhaust air away from operator
- Housing bumpers protect tool and work surface
- Side loading magazine holds up to 100 nails for maximum efficiency
- Integrated rubber soft grip for operator comfort
- Ideal for trim work, baseboard and crown molding installation, flooring and other woodworking applications
- Minimum recommended air delivery of 1.5 SCFM @ 90PSI
- 3 year warranty

| Item #  | Description                                | Price    |
|---------|--|----------|
| MKAF506 | Brad Nailer, 18 Gauge, 5/8" - 2"" - 1-1/2" | \$119.00 |

#### ACCURACY



Narrow nose design allows easy nailing access in confined areas

#### CONVENIENCE





"Tool-less" easy to clear nose for fast and easy nail extraction

#### PRECISION







#### Straight Finish Nailer, 16 Gauge, 1" - 2-1/2"



**MKAF601 includes:** AF601 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Built-in air duster provides convenient air flow to clear work surface
- 2-mode selector switch for control over nailing operation
- Multi-directional exhaust port directs exhaust air away from operator
- "Tool-less" easy to clear nose for fast and easy nail extraction
- Housing bumpers protect tool and work surface
- Magnesium body offers durability and less weight
- Includes two removable no-mar tips; convenient on tool storage
- Powerful motor design drives standard 16 gauge, straight finish nails from 1" to 2-1/2" in length
- Reversible belt hook allows the tool to remain close
- Integrated rubber soft grip for operator comfort
- Narrow nose design allows easy nailing access in confined areas
- Ideal for trim work, baseboard and crown molding installation, flooring and other woodworking applications
- Minimum recommended air delivery of 2.7 SCFM @ 90PSI
- 3 year warranty

| ltem #  | Description                                   | Price    |
|---------|---|----------|
| MKAF601 | Straight Finish Nailer, 16 Gauge, 1" - 2-1/2" | \$199.00 |

#### CONVENIENCE



Rear-loading magazine for quick loading of nails from 1" to 2-1/2" long



and work surface



power performance

#### PRECISION



Tool-less" depth adjustment for precise flush and countersink finish



#### Angled Finish Nailer, 34° 15 Gauge, 1-1/4" - 2-1/2"



Tnakita

**MKAF635 includes:** AF635 Tool, Pneumatic Nailer Oil, (2) No-Mar Tip, Air Fitting, Safety Glasses, Tool Case



- Powerful motor drives 15 gauge "DA" style angled finish nails from 1-1/4" to 2-1/2"
- Built-in air duster provides convenient air flow to clear work surface
- "Tool-less" easy to clear nose for fast and easy nail extraction
- 2-mode selector switch for control over nailing operation
- Multi-directional exhaust port directs exhaust air away from operator
- Includes two removable no-mar tips; convenient on tool storage
- Reversible belt hook allows the tool to remain close
- Housing bumpers protect tool and work surface
- Integrated rubber soft grip for operator comfort
- Rear lock-and-load magazine holds up to 100 nails for maximum efficiency
- Narrow nose design allows easy nailing access in confined areas
- Ideal for trim work, baseboard and crown molding installation, hanging doors, exterior fascia and soffits, and other woodworking applications
- Minimum recommended air delivery of 3.1 SCFM @ 90PSI
- 3 year warranty

| ltem #   | Description                         | Price    |
|----------|-------------------------------------|----------|
| MK 45425 | Angled Finish Nailer, 34° 15 Gauge, | \$219.00 |
| MKAF635  | 1-1/4" - 2-1/2"                     | φ219.00  |





Nail lock-out mechanism protects tool and work surface from nail-less dry fires

## DURABILITY



for added strength



Efficient motor design offers leading power performance

#### PRECISION




"Tool-less" depth adjustment engineered for more precise flush and countersink nailing





#### **Compact Air Compressor, Electric**





- Powerful 1/6 maximum horsepower induction motor provides up to 125 PSI
- Lightweight design (23.1 lbs.) for increased job site portability
- Low noise for operator comfort; ideal for indoor use
- Low AMP draw reduces incidents of tripped breakers at start-up
- Roll cage construction for extra protection of pump and motor assembly
- Oil-less pump designed for maintenance-free operation
- Copper discharge tubing for increased heat dissipation
- Lever-handle ball valve tank drain improves upon standard petcock design for easier maintenance and air tank release
- Universal brass coupler for increased durability and reduced corrosion
- Large pressure gauges for easier visibility of tank and hose pressure
- Ideal for case and base installation, trim and finish carpentry, cabinet and furniture makers, and more
- 1 year warranty

**MKAC001 includes:** AC001 Tool, 1/4" Universal Quick Coupler, Male (447013-E)

| ltem #  | Description                     | Price    |
|---------|---------------------------------|----------|
| MKAC001 | Compact Air Compressor, 1G Tank | \$219.00 |







#### **Quiet Series Compressors, Oil-Free**



- Runs at a lower RPM (1,750) resulting in longer motor and pump life
- Oil-free dual-piston pump designed for maintenance-free operation
- Lightweight design for increased job site portability
- Quick 90 second full tank fill from empty
- Low AMP draw reduces incidents of tripped breakers at start-up
- Large pressure gauges for easier visibility of tank and hose pressure
- Built-in thermal overload for additional motor protection
- Ideal for case and base installation, trim and finish carpentry, cabinet and furniture makers, and more
- 1 year warranty

**Both units include:** MAC100Q or MAC210Q Tool, 1/4" Universal Quick Coupler, Male (447013-E)

|          | ltem #    |
|----------|-----------|
|          | MKMAC100Q |
|          | MKMAC210Q |
|          |           |
| Thakita. |           |

| Item #    | Description                        | Tank     | dB | Price    |
|-----------|------------------------------------|----------|----|----------|
| MKMAC100Q | Quiet Series Compressor,<br>1/2 HP | 1 Gallon | 58 | \$239.00 |
| MKMAC210Q | Quiet Series Compressor,<br>1 HP   | 2 Gallon | 60 | \$314.00 |









## 1-1/4 HP Palm Router, 1/4" Shank



**MKRT0701C includes:** RT0701C Tool, Trimmer Base (196613-4), 1/4" Collet (763637-1), Straight Guide (122965-7), Spanner Wrench (781039-9) and (781011-1)

- Variable speed control dial (10,000 30,000 RPM) to match the speed to the application
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- Soft start feature for smooth start ups
- High visibility base design for improved handling and performance
- Shaft lock for quick and easy bit changes
- Durable flat top design for added convenience when changing bits
- 1 year warranty

| ltem #    | Description          | Price    |
|-----------|----------------------|----------|
| MKRT0701C | 1-1/4 HP Palm Router | \$149.00 |









## 1-1/4 HP Palm Router Kit, 1/4" Shank



Tnakita

**MKRT0701CX3 includes:** RT0701C Tool, Trimmer Base (196613-4), Plunge Base (196094-2), Tilt Base (198987-9), Offset Base (196093-4), Straight Guide (122965-7), Trimmer Guide (122703-7), Dust Extracting Attachment, Fixed Base (195559-1), Dust Extracting Attachment, Plunge Base (194733-8), 1/4" Collet (763637-1), Spanner Wrench (781039-9) and (781011-1)

| ltem #      | Description          | Price    |
|-------------|----------------------|----------|
| MKRT0701CX3 | 1-1/4 HP Palm Router | \$299.00 |
|             | Kit, Multiple Bases  | ΨΖ77.00  |

- Variable speed control dial (10,000 30,000 RPM) to match the speed to the application
- Smooth rack-and-pinion fine depth adjustment system for more precise settings
- Slim and ergonomically designed body for increased comfort and control
- Quick release cam lock system for convenient depth adjustments and base removal/installation
- Accepts industry standard template guides
- Electronic speed control maintains constant speed under load
- Soft start feature for smooth start ups
- High visibility base design for improved handling and performance
- Base can be removed quickly to install other bases (plunge, tilt and offset)
- Heavy duty aluminum motor housing engineered for increased durability
- Shaft lock for quick and easy bit changes
- Durable flat top design for added convenience when changing bits
- Non-marring high-durability base insert for increased work piece protection
- Easy-to-read depth scales
- Double insulated
- Ideal for routing small profiles, dovetailing, door hinges and more
- 1 year warranty

#### PLUNGE BASE


- Easy-to-use fine depth adjustment with 3 preset depth stops for added precision
- Conveniently located plunge lock lever for operator convenience
- Removable clear plastic shield helps protect the operator from airborne debris

#### TILT BASE

- Allows different profiles when using the same router bit
- Ideal for trimming laminated boards and other thin materials
- Fits compact routers models RT0700C and RT0701C

#### **OFFSET BASE**

• Ideal for counter tops, kitchen and bath sink cutouts







#### 2-1/4 HP Knob or D-Handle Router, VS, 1/4" and 1/2" Shank



**MKRF1101 includes:** RF1101 Knob-Handle Router, 1/4" Collet with Nut (193214-9), 1/2" Collet (763643-6), Wrench 27 (193234-3)



**MKRD1101-D includes:** RD1101 D-Handle Router, 1/4" Collet with Nut (193214-9), 1/2" Collet (763643-6), Wrench 27 (193234-3)

- Low noise (81dB) for operator comfort
- Electronic speed control maintains constant speed under load
- Soft start feature for smooth start-ups
- Rugged aluminum motor housing with small 3-1/4" diameter for easy handling
- Durable flat top design for stability when changing bits
- Bits are installed/removed with two identical size wrenches
- All-ball bearing construction for longer tool life
- Front knob can be placed in two locations for left or right handed operators
- Large calibrated depth control ring for easy depth adjustment
- Externally accessible brushes for greater serviceability
- 1 year warranty

| ltem #     | Description                                 | Price    |
|------------|---|----------|
| MKRF1101   | 2-1/4 HP Knob-Handle Router, Variable Speed | \$265.00 |
| MKRD1101-D | 2-1/4 HP D-Handle Router, Variable Speed    | \$309.00 |











#### 3-1/4 HP Plunge Router, Variable Speed, 1/4" and 1/2" Shank





- Electronic speed control maintains constant speed under load
- Variable speed control dial enables user to match the speed to the application
- Soft start feature for smooth start-ups
- Electric brake for increased productivity
- Built-in twin L.E.D. lights illuminate the work area for increased visibility
- Oversized ball bearing construction for longer tool life
- Ergonomic rubberized handles with built-in large two-finger switch for added control and use
- · Conveniently located plunge lock lever for efficient operation
- Shaft lock for quick and easy bit changes
- "Tool-less" template guide system for quick and easy installation and removal
- Lock-on trigger switch for continuous operation
- Built-in fan with labyrinth construction minimizes dust from entering the tool for longer tool life
- Easy-to-read depth scales
- Chip deflector engineered to direct chips away from the operator
- Durable flat top design for stability when changing bits
- Double insulated
- 1 year warranty

**MKRP2301FC includes:** RP2301FC Tool, 1/2" Collet (763622-4), 1/4" Collet (763803-0), Extend Depth Adjustment Knob (158980-5), Spanner Wrench (781030-7)

| ltem #     | Description            | Price    |
|------------|------------------------|----------|
| MKRP2301FC | 3-1/4 HP Plunge Router | \$399.00 |

CAPACITYPOWERPERFORMANCEPRECISIONO" - 2-3/4" plunge depth capacity<br/>for easy penetration into work spacePowerful 15 AMP motor delivers up to<br/>2,000 RPM for smooth routingInear ball bearings for smooth plunge<br/>action and superior performanceOutput bearing a construction of the performanceOutput bearing a construction of the performance



#### 5" Random Orbit Sander, with Tool Case



Tnakita<sup>®</sup>

**MKBO5030K Includes:** 5" Random Orbit Sander (BO5030), Dust Bag (166078-4), Plastic Tool Case (183782-0), Dust Bag Nozzle (416063-0)

- Smooth and fast sanding with 3.0 AMP motor (12,000 OPM)
- Large 1/8" random orbit action for fast and super smooth sanding
- Efficient through-the-pad dust collection system for a cleaner work environment
- Dust-sealed switch minimizes contamination
- Conveniently located on/off switch for easy one-handed operation
- 1 year warranty

| ltem #    | Description                           | Price   |
|-----------|---------------------------------------|---------|
| мкво5030к | 5" RO Sander with Case, 5" 8 Hole H/L | \$99.00 |





Tnakita



## 5" Random Orbit Sander, Variable Speed, with Tool Case



**MKBO5041K Includes:** 5" Random Orbit Sander (BO5041), Dust Bag (166078-4), Dust Bag Nozzle (416063-0), Tool Case



- Smooth and fast sanding with 3.0 AMP motor
- Ergonomic rubberized palm grip and handle for improved operator comfort
- Large 1/8" random orbit action for fast and super smooth sanding provides a swirl-free finish
- Efficient through-the-pad dust collection system for a cleaner work environment
- Pad brake for maximum productivity
- High capacity dust collection system with built-in vacuum port adapter for improved dust collection
- Oversized sealed-ball bearing construction for longer tool life
- Double insulated
- 1 year warranty

| ltem #    | Description                       | Price    |
|-----------|-----------------------------------|----------|
| MKBO5041K | 5" RO Sander, Variable Speed with | \$144.00 |
|           | Case, 5" 8 Hole H/L               |          |



Tnakita



## 6" Random Orbit Sander, Variable Speed, with Tool Case



MKBO6050J Includes: BO6050 Tool, 120 Grit Disc (794610-0-1), 6" Round Sanding Backing Pad, Hook & Loop, Soft (197314-7), Dust Extracting Attachment (143326-8), Pad Protector (456127-8), Side Handle (153489-2), MAKPAC Interlocking Case, Large (197212-5)



- 7/32" orbit diameter provides a swirl-free finish
- "Tool-less" backing pad change enables quick pad change to meet application
- Efficient through-the-pad dust collection system with built-in dust port for a cleaner work environment
- Lock-on slide trigger switch for added convenience of continuous operation
- Removable pad protector protects work surface and backing pad
- Smooth soft start operation
- "Tool-less" dust extraction channel attachment
- Connectable to Makita vacuum cleaners
- 1 year warranty

| ltem #    | Description                             | Price    |
|-----------|---|----------|
|           | 6" RO Sander, Variable Speed with Case, | ¢ 410.00 |
| MKBO6050J | 6" 8 Hole H/L                           | \$419.00 |





#### **Belt Sander, Variable Speed**



**MK9903 includes:** 9903 Tool, 3" x 21" Abrasive Belt, 80 Grit (742308-3-1), Dust Bag (122591-2)

**MK-9920 includes:** 9920 Tool, 3" x 24" Abrasive Belt, 80 Grit (742312-8C-1), Dust Bag (122591-2)

**MK9404 includes:** 9404 Tool, 4" x 24" Abrasive Belt, 80 Grit (742322-9-1), Dust Bag (122591-2)



- Powerful 8.8 AMP motor; only 85dB
- Dust bag for a cleaner work environment
- Long 16.4 ft. power cord for easier maneuverability
- Sands wood or metal and removes paint and rust
- Double insulated
- Ideal for woodworkers, carpenters, furniture makers, floor installers, deck builders and general contractors who require a best-in-class belt sander
- 1 year warranty

| ltem #   | Description                           | Price    |
|----------|---------------------------------------|----------|
| MK9903   | 3" x 21" Belt Sander, Variable Speed, | ¢220.00  |
|          | with Case                             | \$339.00 |
| NIK 0000 | 3" x 24" Belt Sander, Variable Speed, | ¢0.40.00 |
| MK-9920  | with Case                             | \$349.00 |
|          | 4" x 24" Belt Sander, Variable Speed, | ¢240.00  |
| MK9404   | with Case                             | \$369.00 |







#### 6-1/2" Plunge Circular Saw Kit, with Stackable Tool Case and 55" Guide Rail




MKSP6000J1 includes: 6-1/2" Plunge Circular Saw (SP6000J), 6-1/2" 48T C.T. Plunge Saw Blade (B-07353), Hex Wrench (783203-8), MAKPAC Interlocking Case, X-Large (197213-3), 55" Guide Rail (194368-5)

| ltem #     | Description                    | Price    |
|------------|--------------------------------|----------|
|            | 6-1/2" Plunge Circular Saw Kit |          |
| MKSP6000J1 | with MAKPAC Case and 55"       | \$519.00 |
|            | Guide Rail                     |          |



- 12 AMP motor with variable speed control dial (2,000 5,200 RPM) for optimum performance in a variety of materials
- Large cutting capacity (2-3/16" at 90° and 1-9/16" at 45°)
- Bevel capability (-1 to 48°) with positive stops at 22.5° and 45°
- Ideal for cutting large wood panels and other wood materials in confined areas
- 1-1/2" OD dust port directs material away from the operator and connects to a vacuum system
- Electronic speed control maintains constant speed under load for smooth cutting
- Built-in current limiter helps prevent motor burnout
- Soft start feature for smooth start-ups
- Easy-to-set depth adjustment with large scale
- Smooth and convenient plunge release lever for operator comfort
- Dual front and rear bevel supports provide additional rigidity for precise and accurate bevel cuts
- Large 1-7/16" rear dust port directs material away from the operator and easily connects to a vacuum system
- 55" Guide Rail interacts with the saw base to provide smooth, perfect, dead-on straight or bevel cutting
- Saw base is attachable to other guide rail systems in the market
- 1 year warranty









#### 10" Dual-Bevel Sliding Compound Miter Saw with Laser




MKLS1019L includes: LS1019L Tool, Vertical Vise (122854-6), Dust Bag (122852-0), Triangular Rule (762001-3), 10" x 5/8" 60T Micro-Polished Miter Saw Blade, Hex Wrench (781044-6)



- 10" slide miter saw with the crown molding cutting capacity (6-5/8" nested) of a 12" miter saw
- Dual dust collection ports provide excellent dust extraction performance
- Innovative direct drive motor and guard system is engineered for increased vertical cutting capacity (5-1/4'')
- Linear ball bearing system engineered to deliver "dead-on" accurate cuts
- Powerful 15.0 AMP direct drive motor requires less maintenance and delivers 3,200 RPM
- Soft start suppresses start-up reaction for smooth start-ups and longer gear life
- Miters 0-60° left and right; bevels 0-48° left and right
- Positive miter stops at: 0°, 15°, 22.5°, 31.6°, 45°, and 60° left or right
- Electronic speed control maintains constant speed under load for smoother, higher quality cutting
- Integrated upper and lower 4-3/4" tall fence system offers added rigidity for more precise miter and bevel cuts
- Built-in laser clearly indicates line-of-cut whether blade is turning or not; on-off switch and micro-adjustments for precise "left-of-blade" or "right-of-blade" cutting
- Easy-to-read dual bevel scale for more precise adjustments
- Easy blade changes for increased efficiency
- Oversized trigger switch for better fit, added comfort and easier operation
- Easy one-touch slide lock for convenience
- Simple 90° turn-of-the-knob miter angle lock/unlock mechanism
- 1 year warranty

| ltem #    | Description  | Price    |
|-----------|--|----------|
| MKLS1019L | 10" Dual-Bevel Sliding Compound Miter Saw with Laser | \$739.00 |









Pricing Effective 5/15/2024. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthlac.com • 800-422-4389

Tnakita<sup>®</sup>



#### Plate Joiner, with Tool Case



MKPJ7000 includes: PJ7000 Tool, 4" Carbide Tipped Blade for Plate Joiner (A-95118), Angle Guide (123148-2), Dust Bag (123150-5), Set Plate (415579-2), Lock Nut Wrench (782401-1), Tool Case (821509-7)



- Powerful 5.6 AMP motor delivers 11,000 RPM for quick, precise cutting in a variety of woods
- Cast aluminum pivot fence with three positive stops at 0°, 45° and 90°
- Large and easy-to-operate cam locks for angle guide and fence adjustments
- Large top grip handle for improved handling
- "Tool-less" blade cover and shaft lock for fast and easy blade changes
- Designed for making strong plate joints in a minimum amount of time
- Double insulated
- 1 year warranty

| ltem #    | Description                           | Price    |
|-----------|---------------------------------------|----------|
| МКРЈ7000  | Plate Joiner, with Tool Case          | \$229.00 |
| MKA-95118 | Plate Joiner Blade, 4" Carbide Tipped | \$39.46  |







#### 3-1/4" Planer, with Tool Case




MKKP0800K includes: KP0800 Tool, 3-1/4" Planer Blade, 2/pk (D-46246), Blade Gauge (123010-1), Socket Wrench (782209-3), Guide Rule (165581-2), Tool Case (824892-1)



- Two-blade cutter head with 17,000 RPM delivers smooth finish and fast stock removal
- Easy blade setting system for fast blade installation
- Equipped with double edge carbide blades for added performance
- Rigid die-cast aluminum housing with all-ball bearing construction for longer tool life
- High power-to-weight ratio; weighs only 5.7 lbs.
- Machined aluminum and balanced planer drum for reduced vibration and added durability
- Lock-on button for continuous operation
- Click depth adjustment knob with easy-to-read scale with settings from  $\mathbf{0}^{\prime\prime}$
- to 3/32" (0.1mm increments) for precise depth adjustment
- Ergonomically centered balance with rubberized front and rear handles for added comfort
- High quality poly-v belt provides added durability
- Double insulated
- 1 year warranty

| Item #    | Description  | Price    |
|-----------|--|----------|
| MKKP0800K | 3-1/4" Planer, with Tool Case                      | \$199.00 |
| MKD-46246 | 3-1/4" Planer Blade, Double Edge, Pack of 2        | \$14.06  |
| MKD-17239 | 3/14" Planer Blade (2) with Set Plate, Double Edge | \$23.65  |





## Variable Temperature Heat Gun Kit with LCD Digital Display



Tnakita

MKHG6530VK includes: HG6530 Tool, 1-3/8" Glass Protection Nozzle (PR00000028), 1-3/8" Wide-Slot Nozzle (PR00000029), 1-3/8" Reflector Nozzle (PR00000030), 1-3/8" Reduction Nozzle (PR00000031), Tool Case

- Push-button temperature control (122 1,202°F) for precise control over a wide variety of applications with LCD temperature reading
- Slide switch sets three air flow settings (cooling, low, high) for greater versatility
- Push-button temperature control increases by 50°F increments for exact temperature adjustment
- Compact 2.0 lb. design features a rubberized pistol grip handle and an integrated rear stand
- Ideal for vehicle wraps and tinting, stripping lacquer, paint and varnish, thawing frozen pipes, loosening tile and putty, re-melting adhesive, removing stickers, waxing and de-waxing, bending plastic pipes and sheets, and more
- Compatible with various nozzle accessories for increased versatility (additional accessories sold separately)
- 1 year warranty

| ltem # | Description                    | Price    |
|--------|--------------------------------|----------|
|        | Variable Temperature Heat Gun, | \$157.00 |
| •      | \$157.00                       |          |







## Jig Saw Blades, T-Shank

|                            | Item #     | Overall<br>Length | Cutting<br>Length | TPI | Material | Application & Cutting Capacity   | Price per<br>Pk 5 |
|----------------------------|------------|-------------------|-------------------|-----|----------|--|-------------------|
| NO.51 Theaklita, JAPAN     | MK792428-3 | 3-1/2″            | 2-1/2"            | 24  | HSS      | <b>Mild Steel</b><br>Plastic and Aluminum: 1/16" to 3/16"<br>Stainless and Mild Steel: 1/16" to 1/8"                 | \$9.27            |
| -<br>B-78, Trackitz, JAPAN | МК792477-0 | 3-7/8″            | 2-3/4"            | 9   | HSS      | Scroll cutting in hardwoods<br>& plastics<br>Wood & Plastic: 1/8" to 2-3/8"<br>Aluminum and Mild Steel: 1/8" to 3/8" | \$10.61           |
| BR 11 Trackton Jarvay      | МК792729-9 | 4-1/8″            | 2-1/2"            | 9   | HCS      | <b>Splinter-free cuts in wood with no<br/>sanding</b><br>Wood: 3/16" - 2-9/16"                                       | \$5.78            |
| B-D                        | MK792529-7 | 4-1/8″            | 3-1/8″            | 9   | HCS      | <b>Fast finish work,especially<br/>in plywood</b><br>Wood & Plastic: 1/8″ to 2-9/16″                                 | \$11.55           |





#### 6-1/2" Plunge Circular Saw Blades, 20mm Arbor

|                                   | ltem #     | Cut Type              | Application                             | Teeth | Grind | Hook Angle | Plate | Kerf  | Max RPM | Price   |
|-----------------------------------|------------|-----------------------|---|-------|-------|------------|-------|-------|---------|---------|
| Takita<br>Na Prise<br>Print Prise | MKB-07353  | Plunge,<br>Cross, Rip | Hardwood,<br>Fine Crosscut,<br>Melamine | 48    | ATB   | 8°         | .062" | .087" | 9,250   | \$59.62 |
| Triakita<br>HAS OSY ST            | MKB-57342* | Plunge,<br>Cross, Rip | Wood, MDF,<br>Laminates                 | 56    | ATAF  | 23°        | .039" | .057" | 9,250   | \$57.20 |

\* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.

#### 6-1/2" Cordless Plunge Circular Saw Blades, 5/8"Arbor

|   | ltem #     | Cut Type              | Application                             | Teeth | Grind | Hook Angle | Plate | Kerf  | Max RPM | Price   |
|---|------------|-----------------------|---|-------|-------|------------|-------|-------|---------|---------|
| Trakita<br>6% 241<br>Exercise<br>Exercise | MKA-85092  | Plunge,<br>Cross, Rip | Wood,<br>General<br>Purpose,<br>Framing | 24    | ATB   | 20°        | .039" | .059" | 6,500   | \$22.96 |
|   | MKT-01410  | Cross, Miter          | Wood, Fine<br>Crosscut                  | 40    | ATAF  | 18°        | .039" | .059" | 4,770   | \$20.01 |
| Trakita<br>Max Oby 21                     | MKB-62963* | Plunge,<br>Cross, Rip | Wood,<br>Framing,<br>General<br>Purpose | 25    | ATAFR | 23°        | .039" | .055" | 9,250   | \$24.98 |

\* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.





#### 7-1/4" Circular Saw Blades, 5/8"Arbor

|  | ltem #     | Cut Type                | Application                            | Teeth | Grind | Hook Angle | Plate | Kerf  | Max RPM | Price   |
|--|------------|-------------------------|--|-------|-------|------------|-------|-------|---------|---------|
| Trakita<br>Trakita<br>Trakita<br>Trakita<br>Trakita<br>Trakita | MKD-45989  | Cross, Rip              | Wood, Gen-<br>eral Purpose,<br>Framing | 24    | ATAF  | 20°        | .047" | .071" | 8,300   | \$15.97 |
| Trakita.   | MKD-67044  | Cross                   | Wood, Fine<br>Crosscut                 | 40    | ATB   | 20°        | .047" | .071" | 8,300   | \$16.12 |
| Trakita<br>Max 11/1 241  | MKB-61656* | Cross                   | Wood,<br>Framing                       | 24    | ATAFR | 23°        | .039" | .057" | 8,300   | \$14.10 |
|  | MKB-68585* | Cross, Miter,<br>Plunge | Wood, Fine<br>Crosscut                 | 45    | ATAFR | 23°        | .039" | .057" | 8,300   | \$37.46 |

\* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.







#### 7-1/2" Miter Saw Blades, 5/8"Arbor

|                                | ltem #     | Cut Type                             | Application                                       | Teeth | Grind | Hook Angle | Plate | Kerf  | Max RPM | Price   |
|--------------------------------|------------|--------------------------------------|---|-------|-------|------------|-------|-------|---------|---------|
|                                | MKA-90629  | Miter, Cross<br>(Micro-<br>Polished) | Wood,<br>Hardwood,<br>Plywood                     | 40    | ATAF  | 10°        | .055" | .079" | 8,040   | \$44.18 |
| Trakita<br>Trakita<br>The data | MKE-11128* | Miter,<br>Cross                      | Wood,<br>Construction<br>Lumber, Fine<br>Crosscut | 45    | ATBR  | 10°        | .053" | .073" | 8,040   | \$51.03 |
| Trakita<br>MAX Driver          | MKE-11134* | Miter,<br>Cross                      | Wood, Fine<br>Crosscut,<br>Trim/Molding           | 60    | ATBR  | 10°        | .053" | .073" | 8,040   | \$67.54 |

\* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.









#### 10" Miter Saw Blades, 5/8"Arbor

|                        | ltem #     | Cut Type                             | Application   | Teeth | Grind | Hook Angle | Plate | Kerf  | Max RPM | Price   |
|------------------------|------------|--------------------------------------|---|-------|-------|------------|-------|-------|---------|---------|
|                        | MKA-93669  | Miter, Cross<br>(Micro-<br>Polished) | Wood, Con-<br>struction Lum-<br>ber, Plastics         | 40    | ATAF  | 5°         | .071" | .091" | 5,870   | \$33.57 |
|                        | MKA-93675  | Miter<br>(Micro-<br>Polished)        | Wood,<br>Particleboard,<br>Laminates                  | 60    | ATAF  | 5°         | .071" | .091" | 5,870   | \$44.31 |
| Takita                 | MKA-93681  | Miter, Cross<br>(Micro-<br>Polished) | Wood,<br>Hardwood,<br>Plywood                         | 80    | ATAF  | 5°         | .071" | .091" | 5,870   | \$51.70 |
| Trakita.               | MKB-62103* | Miter, Cross                         | Wood, Gen-<br>eral Purpose,<br>Construction<br>Lumber | 45    | ATAFR | 10°        | .065" | .085" | 5,870   | \$48.21 |
| Thakita<br>MAX 010 601 | MKB-66961* | Miter, Cross                         | Wood, Gen-<br>eral Purpose,<br>Plastics               | 60    | ATAFR | 10°        | .065" | .085" | 5,870   | \$59.26 |
| Trakita.               | MKB-66977* | Miter, Cross                         | Wood, Fine<br>Crosscut,<br>General<br>Purpose         | 80    | ATAFR | 10°        | .065" | .085" | 5,870   | \$63.91 |

\* Max Efficiency blade features high grade Tungsten Carbide tips that are engineered for longer blade life and up to 70% faster cutting and run time.





## **Guide Rails and Accessories**


|  | ltem #     | Description                          | Price            |
|--|------------|--------------------------------------|------------------|
|  | MK199140-0 | Guide Rail, 39"                      | \$93.65 Each     |
|  | MK194368-5 | Guide Rail, 55"                      | \$118.38 Each    |
|  | MK191J53-1 | Splinter Guard Repl Strip, 55" Roll  | \$14.33 Each     |
|  | MK194419-4 | Splinter Guard Repl Strip, 118" Roll | \$20.28 Each     |
| To and the second secon | MK191J52-3 | Guide Rail Clamp, Pack 2             | \$45.00 / Pack 2 |
|  | MK1913K5-7 | Guide Rail Extrusion Clamp           | \$55.41 Each     |
| ••••   | MKP-45777  | Guide Rail Connector Kit (pictured)  | \$29.06 Each     |
|  | MKP-20177  | Guide Rail Connector Kit, Pack 2     | \$47.03 / Pack 2 |
| a ser or   | MK1913K7-3 | Parallel Guide                       | \$202.71 Each    |
|  | MK196664-7 | Miter Guide, SP6000J, SP6000J1       | \$86.09 Each     |





## **Guide Rails and Accessories**

|                | ltem #     | Description                            | Price        |
|----------------|------------|--|--------------|
|                | MK196953-0 | Guide Rail Adapter, XSH03 Circular Saw | \$50.82 Each |
| Constan 2 + 12 | MK193517-1 | Guide Rail Adapter, Jig Saw            | \$47.30 Each |
|                | MK194579-2 | Guide Rail Adapter, Router             | \$49.46 Each |







## Starlock<sup>®</sup> Oscillating Multi-Tool Blades and Abrasives

Starlock® accessories are backwards compatible with OIS tools and work with Starlock®, StarlockPlus® and StarlockMax® tools

|     | ltem #     | Description   | TPI | Blade Material                   | Application                             | Price            |
|-----|------------|---|-----|----------------------------------|---|------------------|
|     | CUTTING BL | ADES  |     |                                  |   |                  |
|     | MKB-67066  | Curved Plunge Cut Blade                               | 18  | High Carbon Steel                | Wood, OSB,<br>Plywood, and<br>Chipboard | \$19.19          |
|     | MKB-67072  | Curved Plunge Cutting Blade, Japanese<br>Tooth Design | 14  | Bi-Metal                         | Wood, OSB,<br>and Plywood               | \$16.49          |
|     | MKB-67119  | Plunge Cutting Blade                                  | 23  | Tungsten Carbide /<br>Hard Metal | Metal                                   | \$25.00          |
|     | MKB-67038  | Curved Plunge Cut Blade                               | 20  | Bi-Metal                         | Wood, Metal                             | \$20.00          |
|     | ABRASIVES  |   |     | 1                                |   |                  |
|     | MKB-67169  | Hook & Loop Sanding Pad                               | -   | -                                | -                                       | \$11.63          |
| •   | MKA-95526  | Hook and Loop Abrasive, 80G                           | -   | -                                | -                                       | \$4.25 / Pack 10 |
|     | MKA-95744  | Hook and Loop Abrasive, 100G                          | -   | -                                | -                                       | \$4.25 / Pack 10 |
|     | MKA-95532  | Hook and Loop Abrasive, 120G                          | -   | -                                | -                                       | \$4.25 / Pack 10 |
| • • | MKA-95750  | Hook and Loop Abrasive, 150G                          | -   | -                                | -                                       | \$4.25 / Pack 10 |
| ••• | MKA-95548  | Hook and Loop Abrasive, 180G                          | -   | -                                | -                                       | \$4.25 / Pack 10 |
|     | MKA-95853  | Hook and Loop Abrasive Asst.*                         | -   | -                                | -                                       | \$4.25 / Pack 10 |

\*2 each of 80, 100, 120, 150, 180 grits

#### Starlock<sup>®</sup> 5 Piece Blade Set with Case



| ltem #   | Price   |
|----------|---------|
| MKB67197 | \$78.38 |

Starlock<sup>®</sup> accessories are backwards compatible with OIS tools and work with Starlock<sup>®</sup>, StarlockPlus<sup>®</sup> and StarlockMax<sup>®</sup> tools.

- Blades included for use to cut a variety of materials including wood, OSB, plywood, chipboard, nail-embedded wood, stainless, non-ferrous metal, sheet metal, plasterboard, drywall, PVC, and epoxy/fiberglass
- Case included for storage and easy portability

**Includes:** 2-1/2" BiM Curved Plunge Cut Blade (B-67038), 1-1/4" HCS Curved Plunge Cut Blade (B-67066), 1-1/4" BiM Curved Plunge Cut Blade with Japanese Tooth Design (B-67072), 1-1/4" HM/TC Plunge Cut Blade for Metal Cutting (B-67119), 3-1/4" BiM Segmented Saw Blade (B-67016) and Case.





## StarlockMax<sup>®</sup> Oscillating Multi-Tool Accessories

| <br>ltem # | Description                                       | TPI | Blade Material                     | Application   | Price   |
|------------|---|-----|------------------------------------|---|---------|
| MKE-08523  | Curved Plunge Cut Blade                           | 20  | Bi-Metal                           | Wood, OSB, Plywood,<br>Chipboard, Nail-embedded<br>Wood, Plasterboard         | \$17.57 |
| MKE-08551  | Curved Plunge Cut Blade                           | 18  | High Carbon Steel                  | Wood, Drywall   | \$12.98 |
| MKE-08595  | 50 Grit Grout and Abrasive<br>Segmented Saw Blade | -   | "Tungsten Carbide /<br>Hard Metal" | Cutting and removing grout,<br>joint material, tile, and epoxy/<br>fiberglass | \$35.14 |

#### **18V LXT® Lithium-Ion Batteries**



MKBL1850B

- Integrated L.E.D. battery charge level indicator allows user to monitor battery charge
- 3 year warranty

| Item #       | Ah  | Includes                                     | Charge Time | Price    |
|--------------|-----|--|-------------|----------|
| MKBL1820B    | 2.0 | 1 Battery                                    | 25m or less | \$99.00  |
| MKBL1820B-2  | 2.0 | 2 Batteries                                  | 25m or less | \$179.00 |
| MKBL1830B    | 3.0 | 1 Battery                                    | 30m or less | \$124.00 |
| MKBL1830B-2  | 3.0 | 2 Batteries                                  | 30m or less | \$209.00 |
| MKBL1840B    | 4.0 | 1 Battery                                    | 40m or less | \$139.00 |
| MKBL1840B-2  | 4.0 | 2 Batteries                                  | 40m or less | \$239.00 |
| MKBL1840BDC2 | 4.0 | 2 Batteries, Rapid Optimum Charger, Tool Bag | 40m or less | \$314.00 |
| MKBL1850B    | 5.0 | 1 Battery                                    | 45m or less | \$157.00 |
| MKBL1850B-2  | 5.0 | 2 Batteries                                  | 45m or less | \$269.00 |
| MKBL1850BDC1 | 5.0 | 1 Battery, Rapid Optimum Charger, Tool Bag   | 45m or less | \$209.00 |
| MKBL1850BDC2 | 5.0 | 2 Batteries, Rapid Optimum Charger, Tool Bag | 45m or less | \$362.00 |

#### **18V LXT® Lithium-Ion Rapid Optimum Chargers**

- Communicates with battery's built-in chip to optimize battery life by controlling current, voltage & temperature
- Built-in fan circulates air through the battery during the charging process to cool the battery for faster charge time
- 3 year warranty



MKDC18RD

Built-In USB Port for charging portable electronic devices

| е | Item #   | Charges     | Built-In Fans | Built-In USB Port | Price    |
|---|----------|-------------|---------------|-------------------|----------|
|   | MKDC18RC | 1 Battery   | 1             | No                | \$146.89 |
|   | MKDC18RD | 2 Batteries | 2             | Yes               | \$175.33 |

## FitKnit<sup>™</sup> Cut Level 1 Nitrile Coated Dipped Gloves



- ANSI rated abrasion level 4; ANSI rated cut level A1
- Advanced nitrile coated palm for better grip
- Touchscreen compatible for phone and tablet use
- High dexterity for flexibility, easy movement, and better control

| ltem #   | Gauge | Size | Price  |
|----------|-------|------|--------|
| MKT04117 | 15    | S/M  | \$7.72 |
| MKT04123 | 15    | L/XL | \$7.72 |

## Advanced FitKnit<sup>™</sup> Cut Level 7 Nitrile Coated Dipped Gloves

- Advanced 10-gauge FitKnit<sup>™</sup> material for increased cut protection
- ANSI rated cut level A7; ANSI rated puncture level 4; ANSI rated abrasion level 3
- Advanced nitrile coated palm for better grip
- Touchscreen compatible for phone and tablet use

| Item #    | Gauge | Size | Price   |
|-----------|-------|------|---------|
| MKT-04139 | 10    | S/M  | \$19.15 |
| MKT-04145 | 10    | L/XL | \$19.15 |

#### **100% Genuine Leather-Palm Performance Gloves**



- Durahide Leather<sup>™</sup> technology provides a breathable glove, ready to wear with no break-in time
- Padded knuckles for added protection
- ANSI rated abrasion level 4
- Breathable material for comfort

| ltem #    | Size | Price   |
|-----------|------|---------|
| MKT-04210 | м    | \$29.65 |
| MKT-04226 | L    | \$29.65 |
| MKT-04232 | XL   | \$29.65 |

Pricing Effective 5/15/2024. Subject to change without notice.

# 븢 WüRTH

## WÜRTH LOUIS AND COMPANY MAKITA® TOOLS WORLD LEADING PRODUCT INNOVATION

#### Würth Louis and Company

895 Columbia Street Brea, CA 92821 (714) 529-1771 (800) 422-4389 Fax: (800) 446-9452 www.wurthlac.com

#### **Other locations:**

Anaheim, CA Benton, AR Boise, ID Denver, CO Grand Prairie, TX Houston, TX Idaho Falls, ID Lacey, WA Las Vegas, NV Oklahoma City, OK Phoenix, AZ Portland, OR Post Falls, ID Salt Lake City, UT San Antonio, TX San Marcos, CA St. George, UT West Jordan, UT

Source code: LP2036