



**WÜRTH LOUIS
AND COMPANY**



SLIDING PANEL SAW

BMS.3200.IR DADO EDITION

5 HP Motor - 1 Phase 220V or 3
Phase 220V Clear up to 10' long
sheets

\$8,499



WATCH VIDEO



- **NEW** Dado Blade Stack Compatible
- **NEW** Design, more Ergonomic, Improved Construction and Materials
- **NEW** Dual Blade Covers (straight and bevel cuts)
- **NEW** 1 HP Scoring Motor
- Swing-Away Arm with Integrated Dust Collection
- Sheet Clamps, Wood Stopper and Slider handle
- Soft touch Buttons and Control Panel
- **NEW** Adjustable Leveling Feet
- Digital Angle Display 90° to 45°
- Rip Fence with Micro Adjustment
- Set of Blades Included (Main 12" + Scoring 4 3/4")
- Sliding Table Mechanism - Roller Bearing



WATCH VIDEO



- 5 HP Motor - 1 Phase 220V
- Clear up to 5' long sheets
- Digital Rip Fence Readout
- **NEW** Dado Blade Stack Compatible
- **NEW** Dual Blade Covers (straight and bevel cuts)
- **NEW** 1 HP Scoring Motor
- Swing-Away Arm with Integrated Dust Collection
- Sheet Clamps, Wood Stopper and Slider handle
- **NEW** Soft touch Buttons and Control Panel
- Digital Angle Display 90° to 45°
- Set of Blades Included (Main 12" + Scoring 4 3/4")
- Sliding Table Mechanism - Roller Bearing

BMS.1600.IR DADO EDITION

\$5,845



Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthmachinery.com • 800-422-4389

SLIDING PANEL SAW

TITANIUM SLIDING PANEL SAW



BMT.3200.IR

\$10,499

- Clear up to 10' long sheets
- 5HP Main Motor - 1Phase 220V
- 3/4HP Scoring Motor
- Digital Angle Display 90° to 45°
- Digital Rip Fence Readout with Micro Adjustment
- Max Rip Capacity 51"
- Set of Blades Included
- Overhead Guard with swing away
- 2 Flip Stops, Wedge Clamp and Sheet Clamp
- 2 Extended Crosscut Fence Bars
- Sliding Table Dimensions 126"
- Dual Blade Cover Protector
- Sliding Table Mechanism - Ball Bearings



WATCH VIDEO

PLATINUM SLIDING PANEL SAW



BMP.3200.IR

\$11,549

- Clear up to 10' long sheets
- 7.5 HP Motor - 3 Phase 220V
- 3/4HP Scoring Motor
- Digital Angle Display 90° to 45°
- Digital Rip Fence Readout with Micro Adjustment
- Max Rip Capacity 51"
- Eye Level Control Panel and Set of Blades Included
- Overhead Guard with Swing Away
- 2 Flip Stops, Wedge Clamp and Sheet Clamp
- 2 Extended Crosscut Fence Bars
- Sliding Table Dimensions 126"
- Dual Blade Cover Protector
- Sliding Table Mechanism - Ball Bearings



WATCH VIDEO

DIAMOND SLIDING PANEL SAW



WATCH VIDEO

BMD.3200.IR

\$19,899

- CNC Rip Fence
- 10 HP Motor 3 Phase 220V and 1 HP Scoring Motor
- Motorized Blade Raise / Fall and Tilt
- Touch Screen Control Panel
- Main Blade Speed 3,000/4,000/5,000 RPM
- Digital Angle Display 90° to 45°
- Max Rip Capacity 51"
- Set of Blades Included
- Overhead Guard with Swing Away
- 2 Flip Stops, Wedge Clamp and Sheet Clamp
- Clear up to 10' long sheets
- Dual Blade Cover Protector
- Sliding Table Mechanism - Ball Bearings

Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthmachinery.com • 800-422-4389

PLATINUM AUTOMATIC EDGEBANDER



CBC.PCR - CORNER ROUNDING
\$34,900

- PLC controlled by 5.6" TFT touch screen
- Edge Tape: 0.4-3mm
- Panel Thickness: 10-50mm
- 9HP 1 Phase 220V 60Hz
- Corner Rounding
- Glue Scraper Unit
- Buffing Unit 1400 RPM
- Top and Bottom Trimming 2 HF Motors 12.000 RPM
- Pre-milling Unit 2 HF Motors
- C.A.S.S - Cleaning Agent Spraying System
- XMELT Glue Pot System
- (EVA or PUR Adhesives + easy drainage System)
- Stand-by mode: Only one click to re-start production.
- Glue Pot Capacity 1.5kg | 3.3lbs Teflon Coated
- Centralized Dust Collector with automatic ON/OFF
- 12 mm Thickness Solid Oxycut monoblock structure and industrial drag chain to handle large workloads
- Spring Loaded Pressure Unit with (2) Pressure Rollers
- Reinforced Pressure Beam with (2) Prismatic guides
- Conveyor Chain Feed System for optimum results
- Feed speed of 18ft/min
- Net Weight 1411 lbs | 640 kgs
- Compact Design 3026 x 1036 x 1230 mm / 119 x 41 x 49 inches
- Melamine/PVC/ABS/PP

Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

DUST COLLECTORS

CP/1.C
Dust Collector
1 HP 1PH 110V
\$299



WATCH VIDEO

CP/2.C
Dust Collector
2 HP 1 PH 220V
\$529



WATCH VIDEO

CPD/3.C
Dust Collector 3 HP 1PH 220V
\$899



WATCH VIDEO

CY/3 Cyclone
Dust Collector
3 HP 1 PH 220V
\$1,799



WATCH VIDEO

Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthmachinery.com • 800-422-4389

PORTABLE EDGE BANDERS

AUTOMATIC EDGE BANDER



CBC.T
\$12,999

- 1 Phase 220V
- Table Dimension 2000 mm x 265 mm
- Tape Thickness 0.4 mm to 3 mm
- Panel Thickness 12 mm / 45 mm
- Automatic Panel Feed System
- Feeding Speed 16ft/min
- Dual Pressure Rollers
- Pre-Heated Infeed Fence
- Glue Pot Capacity 2 lbs
- Individually adjustable Flush Trimming
- Extendable Panel Support Rail
- Digital Temperature Control
- Top and Bottom Trim
- Front and End Trim
- Buffing Unit
- Melamine/PVC/ABS/PP/Veneer
- Solid Wood Strip/Laminate

FREE
INSTALLATION
VIDEO



WATCH VIDEO

AUTOMATIC EDGE BANDER



CBC.TPM
\$21,900

- 1 Phase 220V
- Panel Thickness 10 mm / 45 mm
- Edgebanding Thickness 0.4 - 2mm
- HF motors
- Automatic Panel Feed System 21ft/min
- Pre-milling station 1" | 30mm
- Vertical Rounding / Flat or radius / End Trim /T&B trimming
- Pre-Heated Infeed Fence
- Glue Scraper with floating blades
- Buffing Unit
- Industrial PLC and Touchscreen Control
- Centralized Pressure Beam
- Pressure rollers 2x and Industrial drag chain
- Centralized Dust Collection
- Teflon Coated Glue pot 1lb | 0.5kgs
- Melamine/PVC/ABS/PP

FREE
INSTALLATION
VIDEO



GLUE RECOMMENDATION

CBC.E / CBC.MR / CBC.2MR / CBC.FLEX

Proper glue should have an average temperature between 130° to 180° Celsius and be pellet glue. We recommend the following glues:

- Jowat White color (ref. 282.21)
- Jowat Natural color (ref. 282.20)
- Kleiberit Ivory color (ref. 788.3/20)
- Kleiberit White color (ref.788.3/10)

Any brand of pellet glue with temperature between 130° to 180° Celsius

CBC.T / CBT.TPM

Proper glue should have an average temperature between 180° to 210° Celsius and be pellet glue. We recommend the following glues:

- Jowat (ref. 280.30) 180°-200°C
- Kleiberit (ref. 779.6) 200°-210° C

Any brand of pellet glue with temperature between 180° to 210° Celsius

CBC.PCR

For EVA Glue - Use any granulated glue within the Temperature range of 410° Fahrenheit to 356° Fahrenheit. For PUR Glue - Use any granulated glue within the Temperature range of 230° Fahrenheit to 302° Fahrenheit.

- EVA - Jowat (ref. 280.30) Process Temp 180 - 200° C
- PUR - Jowat (ref 608.00/608.01) Process Temp 110 - 130° C
- EVA - Kleiberit (ref. 773.3) Process Temp 180 - 200° C

Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

PORTABLE EDGEBANDERS AND TRIMMERS

EDGE BANDER SOLUTIONS



\$1,169



\$649



\$2,299



- 1 Phase 110V
- Uses Low Temperature Granulated Pellet Glue
- Tape Thickness 0.3 mm to 2 mm
- Max Edge Tape Height 3"
- Manual Feeding speed 18 ft/min
- Digital Temperature Control
- Portable and Affordable
- Melamine/ PVC/ ABS/ PP/ Veneer Non-fleeced

For all three!
\$4,117



WATCH VIDEO

EDGE BANDER WITH EXTENDABLE TABLE




CBC.MR
\$3,299

DUAL GLUE POT CABINET EDGE BANDER

CBC/2.MR

Dual Glue Pot,
Works w/2
different glue
colors

\$4,299




- 1Phase 110V
- Edge Tape Thickness 0.3mm to 2mm
- Max Edge Tape Height 3"
- Melamine/ PVC/ ABS/ PP/ Veneer Non-fleeced
- Feeder Speed Selector - 6 speeds
- Increase work area 3x
- Digital Temperature Control
- Built-in Retractable Extension Table



WATCH VIDEO

EDGE TRIMMERS



RBB.1000

1 PH 110V 500W

\$1,169



WATCH VIDEO



RBB.4G

1 PH 220V 2100W

\$2,399



WATCH VIDEO

Offer valid: 3/1 – 7/31/2025. Subject to change without notice.

WÜRTH LOUIS AND COMPANY • www.wurthmachinery.com • 800-422-4389

LINE BORING MACHINE

LBP.13

\$2,629

Pneumatic



- 1HP 1Phase 110V
- 13 Spindles (6 left and 7 Right)
- Stainless Steel Spindle
- Adjustable Fence with 2 Flip Stops
- Expandable Fence Guide
- Max depth of stroke 2.5"
- Distance between Spindle center 32mm
- Back Fence and Cross fence scale indicator
- Indexing Pin for Line Boring
- 1 Free set of 5mm bits included
- Operation: Manual or Pneumatic

LBM.13


\$2,169

Manual



WATCH VIDEO

POCKET HOLE MACHINE



MAKSIWA 4°

competitors

PHM.30

\$3,999



- 1 Phase 110V
- 4° Angle Pocket
- Pocket Router: Bosch 2.25HP 16 amp
- Pilot Hole Drill Router: Bosch 1.0HP 12 amp
- Laser Guide
- Speed Selector
- Wood thickness Limit: 1/2" - 1 9/16"
- Set of Carbide bits included
- Drill Bit 1/8" - 2 3/4"
- Dust port 4"
- Router Bit 1/4" bit 3/8" Shank 2" length
- Adjustable Fence and Pneumatic Clamp



WATCH VIDEO

HBM.1000

Hinge Boring Machine
110V/220V

\$3,299



TC.3000

Panel Carrier

\$419



CPD/5.5

Collector 5 HP
3 PH 220V

\$2,999



PRA/9

Roller Stand 9 Rollers

\$285



WÜRTH LOUIS AND COMPANY

MAKSIWA

Würth Louis and Company

895 Columbia Street
Brea, CA 92821
(714) 529-1771
(800) 422-4389
Fax: (800) 446-9452
www.wurthlac.com
www.wurthmachinery.com
Source Code: LP2214

Other locations:

Anaheim, CA
Benton, AR
Boise, ID
Denver, CO
Grand Prairie, TX
Houston, TX

Idaho Falls, ID
Las Vegas, NV
Oklahoma City, OK
Phoenix, AZ
Portland, OR
Post Falls, ID

Salt Lake City, UT
San Antonio, TX
San Marcos, CA
St. George, UT
Sumner, WA
West Jordan, UT