

**SECTION F - TABLE OF CONTENTS**

**Section F Contents:**

PRO Standards, Brackets  
& Pilasters ..... 2-3

KV Single Slot Standards  
& Brackets ..... 4-11

KV Double Slot Standards  
& Brackets ..... 12-15

KV Pilasters ..... 16-18

Reeve Recessed Standards  
& Brackets ..... 19

Reeve Single Slot Standards  
& Brackets ..... 20-23

Reeve Double Slot Standards  
& Brackets ..... 23

Reeve Standard & Bracket  
Accessories ..... 24

Reeve Slatwall Accessories ..... 24



A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A PRO STANDARDS & BRACKETS**

**B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y**




**PRO Value Single Standards**

- ANSI/BHMA Grade II rated single standards
- Standard single slots are spaced in 2" increments
- Material: Heavy Duty 12-gauge steel
- Finish: Zinc
- Dimensions: 7/8"W x 11/16"D
- Packaging: Full boxes of 10 standards

Standard Item #	Size
PROSSNGL-24ZC	24"
PROSSNGL-30ZC	30"
PROSSNGL-36ZC	36"
PROSSNGL-48ZC	48"
PROSSNGL-60ZC	60"
PROSSNGL-72ZC	72"
PROSSNGL-84ZC	84"
PROSSNGL-96ZC	96"

**PRO Value Single Brackets**



- ANSI/BHMA Grade II rated single brackets
- Equipped with locking mechanism for added security and immobilization
- Load Ratings of 250-425 lb per pair (based on length of bracket)
- Material: Heavy Duty 12-gauge steel
- Finish: Zinc
- Packaging: Full boxes of 20 brackets

Bracket Item #	Size
PROBSNGL-08ZC	8"
PROBSNGL-10ZC	10"
PROBSNGL-12ZC	12"
PROBSNGL-14ZC	14"
PROBSNGL-16ZC	16"
PROBSNGL-18ZC	18"
PROBSNGL-20ZC	20"
PROBSNGL-22ZC	22"
PROBSNGL-24ZC	24"



**PRO Value Premier Double Standards**

- ANSI/BHMA Grade II rated double standards
- Standard double slots are spaced in 1" increments
- Pre-drilled for ease of installation and a smooth finish
- Material: 14-gauge steel
- Finish: White
- Dimensions: 1.05" W x 0.69" D
- Packaging: Full boxes of 10 standards

Standard Item #	Size
PROSPRDBL-16WH	16.5"
PROSPRDBL-28WH	28"
PROSPRDBL-39WH	39"
PROSPRDBL-48WH	48"
PROSPRDBL-63WH	63"
PROSPRDBL-78WH	78"
PROSPRDBL-94WH	94"

**PRO Value Premier Double Brackets**



- ANSI/BHMA Grade II rated double brackets
- Load Ratings of 200-425 lb per pair (based on length of bracket)
- Material: 14-gauge steel
- Finish: White
- Packaging: Full boxes of 10 brackets

Bracket Item #	Size
PROBPRDBL-05WH	5"
PROBPRDBL-07WH	7"
PROBPRDBL-09WH	9"
PROBPRDBL-10WH	10.5"
PROBPRDBL-12WH	12.5"
PROBPRDBL-14WH	14.5"
PROBPRDBL-18WH	18.5"
PROBPRDBL-24WH	24.5"

**PRO STANDARDS, BRACKETS & PILASTERS**


A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**Pro Value Double Standards**

- ANSI/BHMA Grade II rated double standards
- Standard double slots are spaced in 1" increments
- Material: 16-gauge steel
- Finish: Zinc
- Dimensions: 1-1/4" W x 1/2" D
- Packaging: Full boxes of 20 standards (sizes: 24" - 60") and 10 standards (sizes: 72" - 96")

Standard Item #	Size
PROSDBL-24ZC	24"
PROSDBL-36ZC	36"
PROSDBL-48ZC	48"
PROSDBL-60ZC	60"
PROSDBL-72ZC	72"
PROSDBL-84ZC	84"
PROSDBL-96ZC	96"

**Pro Value Double Brackets**



- ANSI/BHMA Grade II rated double brackets
- Lip on brackets allows more level and secure shelving
- Load Ratings of 250-425 lb per pair (based on length of bracket)
- Material: 16-gauge steel
- Finish: Zinc
- Packaging: Full boxes of 20 brackets

Bracket Item #	Size
PROBDBL-08ZC	8"
PROBDBL-10ZC	10"
PROBDBL-12ZC	12"
PROBDBL-14ZC	14"
PROBDBL-16ZC	16"
PROBDBL-18ZC	18"
PROBDBL-20ZC	20"
PROBDBL-22ZC	22"
PROBDBL-24ZC	24"

**Pro Value Pilasters & Clips**

- ANSI/BHMA Grade II rated single pilasters
- Designed to hold various shelf materials such as glass, particle board, and wood
- Spaced in 1/2" increments for stability
- Pre-drilled nail holes and stamped numbers for easy installation
- Finish: Zinc
- Load rating of 100 lb
- Packaging: Full boxes of 10 pilasters



Pilaster Item #	Size
PROPILSTR-18ZC	18"
PROPILSTR-24ZC	24"
PROPILSTR-30ZC	30"
PROPILSTR-36ZC	36"
PROPILSTR-48ZC	48"

Pilaster Item #	Size
PROPILSTR-60ZC	60"
PROPILSTR-72ZC	72"
PROPILSTR-84ZC	84"
PROPILSTR-96ZC	96"

Clip Item #	Box Qty	Clip Item #	Box Qty
PROCLIP-ZC	100	PROCLIP-BZC	1000

**A KV 80/180 REGULAR DUTY STANDARDS & BRACKETS**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



**KV 80 Series Standards**

- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 5/8" wide x 13/32" deep x selected length
- Material: 16 gauge steel
- Countersunk screw holes
- Safety lead-in at top of standards
- Embossed "up" and arrow to show correct orientation and precision cut lengths
- Center aligned slots and screw holes
- Packed 10 standards per box



Length	Anochrome Item #	Black Item #	White Item #
12"	KV80ANO12	-	-
18"	KV80ANO18	-	-
24"	KV80ANO24	KV80BLK24	KV80WH24
36"	KV80ANO36	KV80BLK36	KV80WH36
48"	KV80ANO48	KV80BLK48	KV80WH48
60"	KV80ANO60	KV80BLK60	KV80WH60
72"	KV80ANO72	KV80BLK72	KV80WH72
84"	KV80ANO84	-	-
96"	KV80ANO96	KV80BLK96	-



**KV 180 Series Brackets**

- For use with KV 80 series standards
- Material: 14 and 16 gauge steel
- Holds up to 320 lbs. per pair
- Two complete locking teeth
- Spring steel clip for stability and friction lock
- Shelf retaining clip
- Packed 10 brackets per box



Length	Anochrome Item #	Black Item #	White Item #
4"	KV18ANO4	-	-
6"	KV18ANO6	KV180BLK06	-
8"	KV18ANO8	-	-
10"	KV18ANO10	KV180BLK10	-
12"	KV18ANO12	KV180BLK12	KV180WH12
14"	KV18ANO14	KV180BLK14	KV180WH14
16"	KV18ANO16	KV180BLK16	KV180WH16
18"	KV18ANO18	-	-
20"	KV18ANO20	-	-

**KV 80/180 SERIES STANDARD & BRACKET ACCESSORIES**



**KV 160LL Series Lock Lever Brackets**



- For use with 1" adjustable 80 series standards
- Material: 14 gauge steel
- Finish: Anochrome (ANO)
- Two locking teeth
- Lever lock for extra secure mounting and stability
- Shelf retaining lip
- Packed 10 brackets per box

Length	Item #
12"	KV160ANO12
16"	KV160ANO16



**KV 179 Series Adjustable Angle Brackets**



- For use with 1" adjustable 80 series standards
- Material: 14 and 16 gauge steel
- Finish: Anochrome (ANO)
- Two complete locking teeth
- Shelf retaining clip
- Spring clip for stability and friction locking
- Adjusts to 15°, 30°, 45° and level
- Packed 10 brackets per box

Length	Item #
10"	KV179ANO10
12"	KV179ANO12
14"	KV179ANO14



A



B



C



D



E



F

**KV 80/180 Series Accessories**



- Packed 100 per box

	Item #	Description
A	KV103-PLAS	Clear plastic front rest
B	KV104-PLAS	Clear plastic back rest
C	KV119	Gray rubber cushion to use with metal rests
D	KV129R	Gray rubber cushion to use with plastic rests
E	KV136	Socket-#80 standard bottom socket
F	KV137	Socket-#80 standard top socket

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A KV 83 / 183 SERIES HEAVY-DUTY STANDARDS & BRACKETS**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



**KV 83 Series Oversized Standards**

- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 3/4" W x 1/2" D x selected length
- Material: 16 gauge steel
- Finish: Anochrome (ANO)
- Safety lead-in at top of standard
- Embossed logo to show correct orientation
- Countersunk screw holes
- Center aligned slots and screw holes
- Precision cut lengths
- Packed 10 standards per box



Length	Item #
24"	KV83ANO24
36"	KV83ANO36
48"	KV83ANO48
60"	KV83ANO60
72"	KV83ANO72
84"	KV83ANO84
96"	KV83ANO96



Right Bracket

**KV 183 Series Brackets**

- For use with KV 83 series standards
- 183R: Right Flange Bracket
- 183L: Left Flange Bracket
- 183C: Center Flange Bracket
- Material: 16 gauge steel
- Finish: Anochrome (ANO)
- Holds up to 460 lbs. per pair of brackets
- Bracket flanges allows for simple attachment to wooden shelves
- Brackets may also be used with 85 series standards for added supports on long shelves
- Packed 10 brackets per box




Left Bracket



Center Bracket

Length	Right Bracket Item #	Left Bracket Item #	Center Bracket Item #
8"	KV183RANO8	KV183LANO8	KV183CANO8
10"	KV183RANO10	KV183LANO10	KV183CANO10
12"	KV183RANO12	KV183LANO12	KV183CANO12
14"	KV183RANO14	KV183LANO14	KV183CANO14
16"	KV183RANO16	KV183LANO16	KV183CANO16
18"	KV183RANO18	KV183LANO18	KV183CANO18
20"	KV183RANO20	KV183LANO20	KV183CANO20

**KV 83/183 SERIES STANDARD & BRACKET ACCESSORIES**



**KV 113L/113R Panel Clips**

- Used to attach display and wall panels into vertical position
- Finish: Anochrome
- Packed and sold in 50 per box



Item #	Description
KV113L	Left-Hand Anochrome Panel Clip
KV113R	Right-Hand Anochrome Panel Clip




**KV 119 Gray Rubber Cushion**

- Packed 100 per box



Item #
KV119




**KV 134/135 Sockets**

- Packed 100 per box



	Item #	Description	Sold In
A	KV134-ANO	#83 Standard Bottom Socket	Per Each
B	KV135	#83 Standard Top Socket	Per Each



**KV 191/192 Hang Rod Saddles**

- 191 bolts to 183L & 183R or 185 brackets to hold 1-1/16" O.D. tubing
- 192 bolts to 183L & 183R or 185 brackets to hold 1-5/16" O.D. tubing
- Finish: Anochrome



Item #	Description	Sold In
KV191-ANO	To hold 1-1/16" O.D. tubing	Per Each
KV192	To hold 1-5/16" O.D. tubing	Per Each



**KV 161LL Lock Lever Brackets**

- Finish: Anochrome (ANO)
- Three locking teeth
- Lever lock for extra secure mounting
- Packed 10 per box



Item #	Size
KV161ANO24	24"

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A KV 87 / 186 / 187 SERIES SUPER-DUTY STANDARDS & BRACKETS**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



Anochrome

White

**KV 87 Series Standards**

- Single slot design
- BHMA Grade 2 Compliant
- Material: 12 gauge steel
- Countersunk screw holes
- Dimensions: 7/8"W x 1 1/16"D x selected height
- Embossed logo to show correct orientation
- Precision cut lengths
- Packed 5 standards per box
- 2" vertical slot adjustability
- Limited lifetime warranty
- Finish: Anochrome (ANO), White (WH)
- Center aligned slots and screw holes



Length	Anochrome Item #	White Item #
24"	KV87ANO24	KV87WH24
36"	KV87ANO36	KV87WH36
48"	KV87ANO48	KV87WH48
60"	KV87ANO60	KV87WH60
72"	KV87ANO72	KV87WH72
84"	KV87ANO84	KV87WH84
96"	KV87ANO96	KV87WH96



186 Series Anochrome

186 Series White

**KV 186LL and 187LL Series Lock Lever Brackets**

- For use with KV 87 series standards
- Material: 12 gauge steel
- Finish: Anochrome (ANO), White (WH)
- Holds up to 1,060 lbs. per pair of brackets
- Utilizes an easy-to-install unique cam lock that secures bracket to the standard
- Two or three complete locking teeth
- Predrilled holes for mounting 1987 series shelves or attaching shelf rests
- Packed 10 brackets per box



187 Series Anochrome

187 Series White

Length	Anochrome Item #	White Item #
<b>186 Series Brackets</b>		
8"	KV186ANO8	KV186WH8
10"	KV186ANO10	KV186WH10
<b>187 Series Brackets</b>		
12"	KV187ANO12	KV187WH12
14"	KV187ANO14	KV187WH14
16"	KV187ANO16	KV187WH16
18"	KV187ANO18	KV187WH18
20"	KV187ANO20	KV187WH20
22"	KV187ANO22	KV187WH22
24"	KV187ANO24	KV187WH24



**KV 87 / 187 SERIES STANDARD & BRACKET ACCESSORIES**



**KV 119 Gray Rubber Cushion**

- For use with metal rests
- Recommended for use when supporting glass shelves
- Packed 100 per box



<b>Item #</b>
KV119

A  
B  
C  
D  
E  
F



**KV 129 Gray Rubber Cushion**

- For use with metal and plastic rests
- Recommended for use when supporting glass shelves
- Packed 100 per box



<b>Item #</b>
KV129R

G  
H  
I  
J  
K



A

**KV Front and Center Rests**

- Recommended for use with 186 and 187 series brackets
- For anchoring shelf to brackets
- Packed 100 per box



	<b>Item #</b>	<b>Description</b>
A	KV210	Anochrome End Rest with Screw
	KV210-WH	White End Rest with Screw
B	KV211	Anochrome Center Rest with Screw
	KV211-WH	White Center Rest with Screw
C	KV212	Anochrome Front Rest with Screw
D	KV213-ZC	Zinc Snap-in Center Rest

L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



B



C



D

**A KV 87 / 186 / 187 SUPER-DUTY STAINLESS STEEL STANDARDS & BRACKETS**

**B**  
**C**  
**D**  
**E**  
**F**  
**G**  
**H**  
**I**  
**J**  
**K**  
**L**  
**M**  
**N**  
**O**  
**P**  
**Q**  
**R**  
**S**  
**T**  
**U**  
**V**  
**W**  
**X**  
**Y**



**KV 87 Super-Duty Stainless Steel Standards**



- Single slot design
- 2" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 7/8" wide x 11/16" deep x selected length
- Material: 14 gauge, 304 grade stainless steel
- Finish: Stainless Steel (SS)
- Countersunk screw holes
- Center aligned slots and screw holes
- Precision cut lengths
- Packed and sold in 5 standards per box

Length	Item #
24"	KV87SS24
36"	KV87SS36
48"	KV87SS48
60"	KV87SS60
72"	KV87SS72



**KV 187LL Series Stainless Steel Lock Lever Brackets**



- For use with KV 87 series stainless steel standards
- Material: 14 gauge, 304 grade stainless steel
- Finish: Brushed Stainless Steel (SS)
- Holds up to 560 lbs. per pair of brackets
- Lever lock for easy installation, stability and safety
- Predrilled holes for mounting 1987 series shelving or attaching shelf rests
- Two or three complete locking teeth
- Packed and sold in 10 brackets per box

Length	Item #
12"	KV187SS12
14"	KV187SS14
16"	KV187SS16
24"	KV187SS24

**KV 71/170 REGULAR-DUTY STANDARDS & BRACKETS**



**KV 71 Series Narrow Standards**



- Single slot system
- 1" vertical slot adjustment
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 5/16" wide x 13/32" deep x selected length
- Material: 13 gauge steel
- Finish: Anochrome (ANO)
- Narrow design to fit between prefabricated wall panels for flush wall mount
- Countersunk screw holes
- Center aligned slots and screw holes
- Precision cut lengths
- Packed and sold in boxes of 10 per box

Length	Item #
48"	KV71ANO48
72"	KV71ANO72
96"	KV71ANO96



**KV 170 Series Brackets**



- For use with KV 71 series narrow standards
- Material: 14 gauge steel
- Finish: Anochrome (ANO)
- Holds up to 210 lb per pair
- Two locking teeth
- Shelf retaining clip
- Stamped wing stabilizer
- Packed and sold in boxes of 50 per carton

Length	Item #
12"	KV170ANO12
14"	KV170ANO14

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A KV 85 / 185 SERIES EXTRA-DUTY STANDARDS & BRACKETS**



Anochrome

White

**KV 85 Series Standards**

- Double slot design
- BHMA Grade 2 Compliant
- Material: 16 gauge steel
- Safety lead-in at top of standard
- Countersunk screw holes
- Precision cut lengths
- Dimensions: 1-1/4" wide x 1/2" deep x selected length
- Packed 10 standards per box
- 1" vertical slot adjustability
- Limited lifetime warranty
- Finish: Anochrome (ANO), White (WH)
- Embossed logo to show correct orientation
- Center aligned slots and screw holes



Length	Anochrome Item #	White Item #
24"	KV85ANO24	-
36"	KV85ANO36	-
48"	KV85ANO48	KV85WH48
60"	KV85ANO60	KV85WH60
72"	KV85ANO72	KV85WH72
84"	KV85ANO84	KV85WH84
96"	KV85ANO96	KV85WH96



Anochrome



White

**KV 185 Series Brackets**

- For use with KV 85 series standards
- Material: 14 and 16 gauge steel
- Finish: Anochrome (ANO), White (WH)
- Holds up to 680 lbs. per pair of brackets
- Shelf retaining lip on brackets
- Four locking teeth and two lugs for safety and stability
- Shelf fastening screw holes
- Packed 10 brackets per box



Length	Anochrome Item #	White Item #
8"	KV185ANO8	KV185WH8
10"	KV185ANO10	KV185WH10
12"	KV185ANO12	KV185WH12
14"	KV185ANO14	KV185WH14
16"	KV185ANO16	KV185WH16
18"	KV185ANO18	KV185WH18
20"	KV185ANO20	KV185WH20
22"	KV185ANO22	KV185WH22
24"	KV185ANO24	KV185WH24

**KV 85 / 185 SERIES STANDARD & BRACKET ACCESSORIES**



**KV 106 Shelf Rest**

- Used to join two shelves at one bracket
- Finish: Anochrome
- Packed 50 per box



<b>Item #</b>
KV106



**KV 107 Hang Rod Clamp**

- Bolts for 183 and 185 brackets to hold rods securely
- Finish: Anochrome
- Packed and sold in 20 per box



<b>Item #</b>
KV107



**KV 113L/113R Panel Clips**

- Used to attach display and wall panels into vertical position
- Finish: Anochrome
- Packed and sold in 50 per box



Item #	Description
KV113L	Left-Hand Anochrome Panel Clip
KV113R	Right-Hand Anochrome Panel Clip




**KV 129 Gray Rubber Cushion**

- For use with metal and plastic rests
- Packed 100 per box



<b>Item #</b>
KV129R



**KV 191/192 Hang Rod Saddles**

- 191 bolts to 183L & 183R or 185 brackets to hold 1-1/16" O.D. tubing
- 192 bolts to 183L & 183R or 185 brackets to hold 1-5/16" O.D. tubing
- Finish: Anochrome



Item #	Description	Sold In
KV191-ANO	To hold 1-1/16" O.D. tubing	Per Each
KV192	To hold 1-5/16" O.D. tubing	10/Box

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A KV 82/182 SERIES HEAVY-DUTY STANDARDS & BRACKETS**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



Black Titanium White

**KV 82 Series Standards**

- Double slot design
- 1-1/4" vertical slot adjustability
- BHMA Grade 2 Compliant
- Limited lifetime warranty
- Dimensions: 1-1/16" W x 11/16" D x selected length
- Material: 14 gauge steel
- Strength enhancing ribs
- Countersunk screw holes
- Embossed "up" and arrow to show correct orientation
- Center aligned slots and screw holes
- Precision cut lengths
- Packed 10 standards per box



Length	Black Item #	Titanium Item #	White Item #
16.5"	-	KV82TI16.5	KV82WH16.5
28"	KV82BLK28	KV82TI28	KV82WH28
39"	KV82BLK39	KV82TI39	KV82WH39
48"	KV82BLK48	KV82TI48	KV82WH48
63"	KV82BLK63	KV82TI63	KV82WH63
78"	KV82BLK78	KV82TI78	KV82WH78
94"	KV82BLK94	KV82TI94	KV82WH94



Black

**KV 182 Series Brackets**

- For use with KV 82 series standards
- Material: 16 gauge steel
- Holds up to 450 lbs. per pair of brackets
- Four complete locking teeth
- Countersunk screw holes to fasten shelves
- Packed 10 brackets per box



Titanium


Length	Black Item #	Titanium Item #	White Item #
5"	KV182BLK5	-	KV182WH5
7"	KV182BLK7	KV182TI7	KV182WH7
9"	KV182BLK9	KV182TI9	KV182WH9
10.5"	KV182BLK10.5	KV182TI10.5	KV182WH10.5
12.5"	KV182BLK12.5	KV182TI12.5	KV182WH12.5
14.5"	KV182BLK14.5	KV182TI14.5	KV182WH14.5
18.5"	KV182BLK18.5	KV182TI18.5	KV182WH18.5
24"	KV182BLK24	KV182TI24	KV182WH24



White

**KV 82/182 SERIES STANDARD & BRACKET ACCESSORIES**

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



**KV 182 Bookend**

- Finish: White (WH)



Length	Item #	Sold In
9"	KV182BE09WH	Per Each
10"	KV182BE10.5WH	Per Each



**KV 82 Screw Pack**

- Finish: Zinc
- Packed 20 bags per box (6 screws + 6 anchors per bag)



Item #
KV82DP-SCREW-ZC




**KV 182 Bracket Lock**

- Finish: Black rubber
- Packed 20 bags per box (6 locks per bag)



Item #	Sold In
KV182LKBLK	20/Bag

**Visit us on our website: [wurthlac.com](http://wurthlac.com)**



**Würth Louis and Company**  
Introduces:

**RGB TUNABLE FLEXTAPE®**

Creating dramatic lighting with 16 million color combinations is now a reality with RGB Standard color-changing FlexTape®.



**NOW HIRING!**

Apply at:  
[wurthlac.com/careers](http://wurthlac.com/careers)

**SUPPLY CHAIN CHALLENGES? We have you COVERED.**

[LEARN MORE](#)

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**KV 255 SERIES STEEL AND ALUMINUM PILASTERS**



Almond Brass-look Brown



White Zinc

**KV 255 Series Steel Pilasters**

- Holds up to 500 lbs. per shelf
- 1/2" vertical slot adjustment
- Full finish coverage to deter corrosion
- BHMA Grade 1 Compliant
- Dimensions: 5/8" width x 3/16" deep x selected length
- Material: 23 gauge high strength steel
- 18" - 60" sizes packed 100 standards per carton
- 72 - 96" sizes packed 50 standards per carton



Length	Almond Item #	Brass-Look Item #	Brown Item #	White Item #	Zinc Item #
18"	KV255AL18	KV255BR18	KV255BRN18	-	KV255ZC18
24"	KV255AL24	-	KV255BRN24	KV255WH24	KV255ZC24
30"	KV255AL30	-	-	KV255WH30	KV255ZC30
36"	KV255AL36	KV255BR36	KV255BRN36	KV255WH36	KV255ZC36
48"	-	KV255BR48	KV255BRN48	KV255WH48	KV255ZC48
60"	KV255AL60	KV255BR60	KV255BRN60	-	KV255ZC60
72"	KV255AL72	KV255BR72	KV255BRNZC72	KV255WH72	KV255ZC72
84"	KV255AL84	-	-	KV255WH84	KV255ZC84
96"	KV255AL96	KV255BR96	KV255BRNZC96	KV255WH96	KV255ZC-96

**KV 255 Series Aluminum Pilasters**

- Holds up to 500 lbs. per shelf
- Material: 17 gauge aluminum
- 18" - 60" sizes packed 100 standards per carton.
- 72 - 96" sizes packed 50 standards per carton




Natural Aluminum Brass-look

Length	Natural Aluminum Item #	Brass-Look Item #
18"	KV255AM18	KV255ALBR18
24"	-	KV255AMBR24
30"	-	KV255ALBR30
36"	-	KV255AMBR36
48"	KV255AM48	KV255ALBR48
60"	-	KV255AMBR60
72"	KV255AM72	KV255AMBR72
84"	KV255AM84	-
96"	KV255AM96	KV255AMBR96



**KV 255 / 256 SERIES SHELF SUPPORTS & ACCESSORIES**



**KV 256 Series Pilaster Shelf Supports**



- For use with 255 series steel and aluminum pilasters
- Material: High strength steel
- Patented design
- Full coverage finish to resist corrosion
- Strength increasing dimple
- \* Use with 255BRN

	Item #	Description	Finish	Sold In
A	KV256-AL	Shelf support	Almond	Per Each
B	KV256-BR	Shelf support	Brass-look	Per Each
	KV256B-BR	Shelf support	Brass-look	100/Box
C	KV256-WAL	Shelf support	Walnut*	Per Each
	KV256B-WAL	Shelf support	Walnut*	100/Box
D	KV256-WH	Shelf support	White	Per Each
E	KV256-ZC	Shelf support	Zinc	Per Each
	KV256B-ZC	Shelf support	Zinc	1,000/Box
F	KV256AMNAT	Shelf support	Natural Aluminum	Per Each
G	KV239-ZC	Shelf support - Woodwork Institute Acknowledged Product	Zinc	Per Each
H	KV243-ZC	3" shelf bracket (non-handed)	Zinc	Per Each
I	KV244-ANO	Wire shelf support	Zinc	Per Each
J	KV757-ANO	Flange for 1-1/16" OD closet rod	Zinc	Per Each

**Nails for KV 255 Series Pilasters**



- Approximately 650 nails per bag



Item #	Finish	Use with:	Sold In
KVN-AL	Almond	255ALM	5/Bags
KVN-BR	Brass-look	255BR, 255AL BR	1/Bag
KVN-AMWAL	Bronzed	255BRN, 255AL BRN	1/Bag
KVN-WH	White	255WH	1/Bag
KVN-ZC	Zinc	255ZC, 255AL	1/Bag

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A KV 233 PILASTERS & ACCESSORIES**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



**KV 233 Surface Mount Steel Pilasters**

- Holds up to 500 lb per shelf
- 1/2" vertical slot adjustability
- BHMA Grade 1 Compliant
- Limited lifetime warranty
- Dimensions: 13/16" width x 3/16" deep x selected height
- Material: 23 gauge high-strength steel
- Numbered slots for quick, accurate clip insertion
- Countersunk nail, screw and staple holes
- Full finish coverage to deter corrosion
- Precision cut lengths



Length	Zinc Item #	Sold In
18"	KV233ZC18	100/Box
36"	KV233ZC36	100/Box
48"	KV233ZC48	100/Box
60"	KV233ZC60	100/Box
72"	KV233ZC72	50/Box
96"	KV233ZC96	50/Box




A

**KV 233 Pilaster Shelf Supports**



	Item #	Description	Finish	Sold In
A	KV237-ZC	Shelf support for 233 pilasters	Zinc	Per Each
B	KV238ANO	Shelf support with locator tab	Zinc	100/Box



B




**Nails for KV 233 Series Pilasters**

- Approximately 650 nails per bag



Item #	Finish	Use with:	Sold In
KVN-BR	Brass-look	233BR	Per Bag
KVN-ZC	Zinc	233ZC	Per Bag

**REEVE HEAVY DUTY SHELF STANDARDS & BRACKETS**




**Heavy Duty Shelf Standard  
Concealed/Recessed**



- Used with RVS767 series bracket
- 1-1/2" W x 11/16" D
- Brillatone (Zinc)
- .125" thick cold rolled steel
- Adjustable in 2" increments
- Screwholes 6" centers staggered each side
- Recommended fasteners (sold separately): #10 Flat Head screw
- Packed: 10 standards per box

Length	Item #
72"	RVS704-6
96"	RVS704-8



**Heavy Duty Shelf Bracket  
For Concealed/Recessed Standards**



- Used with RVS704 series standard
- 1/8" thick tempered steel
- Brillatone (Zinc)
- Weight rating of 675 to 1,325 lbs. per pair (based on length)
- Bracket features two engagement teeth, top tooth has uphook design to increase bracket's hold to the standard
- Packed: 24 brackets per box

Length	Item #
10"	RVS767-10
12"	RVS767-12
14"	RVS767-14
16"	RVS767-16

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A REEVE SINGLE SLOT STANDARDS**

**B**  
**C**  
**D**  
**E**  
**F**  
**G**  
**H**  
**I**  
**J**  
**K**  
**L**  
**M**  
**N**  
**O**  
**P**  
**Q**  
**R**  
**S**  
**T**  
**U**  
**V**  
**W**  
**X**  
**Y**



**Standard Duty Shelf Standard  
Single Slotted, 11/16" W**



- Used with RVS41, RVS43, RVS81 and RVS83 series brackets
- Brillatone (Zinc)
- .0625" thick cold rolled steel
- Adjustable in 1" increments
- Screwholes on 6" centers
- Recommended Fasteners (sold separately): #7 Flat Head screw
- Packed: 10 standards per box

Length	Item #
24"	RVS40-2
30"	RVS40-2.5
36"	RVS40-3
48"	RVS40-4
60"	RVS40-5
72"	RVS40-6
84"	RVS40-7
96"	RVS40-8



**Heavy Duty Shelf Standards  
Single Slotted, 11/16" W**



- Used with RVS41, RVS43, RVS81 and RVS83 series brackets.
- Brillatone (Zinc)
- .090" thick cold rolled steel
- Adjustable in 1" increments
- Screwholes on 12" centers
- Recommended Fasteners (sold separately): #7 Flat Head screw
- Packed: 10 standards per box


Length	Item #
48"	RVS20-4
60"	RVS20-5
72"	RVS20-6
84"	RVS20-7
96"	RVS20-8

**REEVE SINGLE SLOT BRACKETS**

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y



RVS41



RVS81

**Standard & Heavy Duty Shelf Brackets With & Without Flange**




- Used with RVS20 & RVS40 series standards
- RVS41 is .080" thick tempered steel, RVS81 is .085" thick tempered steel, Brillatone (Zinc)
- Weight rating: 130-350 lbs. (RVS41), 200-450 lbs. (RVS81) per pair
- RVS41 has a shelf lip at the end of the bracket with no flange, RVS81 is available in left, right and center flange styles
- Brackets are designed with stabilizers to reduce sway
- RVS41 has two engagement teeth, while RVS81 has three
- Packed: RVS41 series 24 brackets per box; RVS81 series 12 brackets per box

Standard Duty - RVS41 (Without Flange)	
Length	Item #
6"	RVS41-6
8"	RVS41-8
10"	RVS41-10
12"	RVS41-12
14"	RVS41-14
16"	RVS41-16
18"	RVS41-18

Heavy Duty - RVS81 (With Flange) Brillatone-Zinc Finish			
Length	Right Flange Item #	Left Flange Item #	Center Flange Item #
5"	RVS81-R-5	RVS81-L-5	-
8"	RVS81-R-8	RVS81-L-8	-
10"	RVS81-R-10	RVS81-L-10	RVS81-C-10
12"	RVS81-R-12	RVS81-L-12	RVS81-C-12
14"	RVS81-R-14	RVS81-L-14	RVS81-C-14
16"	RVS81-R-16	RVS81-L-16	RVS81-C-16
18"	RVS81-R-18	RVS81-L-18	RVS81-C-18
20"	RVS81-R-20	RVS81-L-20	RVS81-C-20
22"	RVS81-R-22	RVS81-L-22	RVS81-C-22
24"	RVS81-R-24	RVS81-L-24	RVS81-C-24



RVS43



RVS83

**Standard Duty Shelf Brackets Adjustable Downslant, With & Without Flange**




- Used with RVS20 & RVS40 series standards
- Weight rating: 50 lbs. per pair (for both RVS43 & RVS83), Brillatone (Zinc)
- .080" thick tempered steel
- Adjusted to straight, 7°, 15°, 30°, 45° downslants, (14" & 16" length can be adjusted to 60° downslant)
- RVS43 has two engagement teeth and a shelf lip
- RVS83 comes in left and right flange versions and has three engagement teeth
- Packed: 12 brackets per box

RVS43 (Without Flange)	
Length	Item #
10"	RVS43-10
12"	RVS43-12
14"	RVS43-14
16"	RVS43-16

RVS83 (With Flange)		
Length	Right Flange Item #	Left Flange Item #
8"	RVS83-R-8	RVS83-L-8
10"	RVS83-R-10	RVS83-L-10
12"	RVS83-R-12	RVS83-L-12
14"	RVS83-R-14	RVS83-L-14
16"	RVS83-R-16	RVS83-L-16

**A REEVE SINGLE SLOT STANDARDS**

B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y




**Extra Heavy Duty Shelf Standards  
Single Slotted, 7/8" W x 5/8" D**



- Used with RVS723 & RVS766 Series bracket
- Brillatone (Zinc)
- .125" thick cold rolled steel
- Adjustable in 2" increments; Screwholes 12" on centers
- Packed: 10 standards per box

Length	#14 Screwhole Item #
36"	RVS700-3
48"	RVS700-4
60"	RVS700-5
72"	RVS700-6
84"	RVS700-7
96"	RVS700-8
120"	RVS700-10
144"	RVS700-12



**Extra Heavy Duty Shelf Brackets  
Single Slotted**




- Used with RVS700 Series standard
- Brillatone (Zinc)
- 1/8" thick tempered steel; Weight rating of 675 to 1,325 lbs. per pair (based on length)
- Bracket comes standard with locknut thumb screw to reduce sway
- Two engagement teeth, one tooth has an uphook design for additional stability and holding power
- Packed: 12 brackets per box

Length	Item #
8"	RVS766-8
10"	RVS766-10
12"	RVS766-12
14"	RVS766-14
16"	RVS766-16

Length	Item #
18"	RVS766-18
20"	RVS766-20

**For Heavy Duty Flanged Brackets, see next page**

**REEVE FLANGED BRACKETS / DOUBLE SLOTTED STANDARDS / BRACKETS**



**Extra Heavy Duty Shelf Brackets  
Single Slotted Flanged Bracket**



- Used with RVS700 Series standard
- .085" thick tempered steel; Weight rating: 230-520 lbs. per pair (based on length), Brillatone (Zinc)
- Flange has keyhole slots for shelf mounting
- Bracket has two engagement teeth and stabilizer tooth (to reduce sway) to secure bracket to standard
- Packed: 12 brackets per box

Length	Right Flange Item #	Left Flange Item #	Length	Right Flange Item #	Left Flange Item #
10"	RVS723-R-10	RVS723-L-10	18"	RVS723-R-18	RVS723-L-18
12"	RVS723-R-12	RVS723-L-12	20"	RVS723-R-20	RVS723-L-20
14"	RVS723-R-14	RVS723-L-14	22"	RVS723-R-22	RVS723-L-22
16"	RVS723-R-16	RVS723-L-16			



**Heavy Duty Standards  
Double Slotted, 1-1/4" W x 1/2" D**



- Used with RVS485 series bracket
- .074" thick steel, Brillatone (Zinc)
- Adjustable in 1" increments
- Screwholes are placed 6" apart on centers
- Recommended Fasteners (sold separately): #10 Flat Head screw
- Packed: 10 standards per box

Length	Item #	Length	Item #
24"	RVS44-2	60"	RVS44-5
30"	RVS44-2.5	72"	RVS44-6
36"	RVS44-3	96"	RVS44-8
48"	RVS44-4	120"	RVS44-10



**Heavy Duty Double Slotted Brackets**




- Used with RVS44 series standard
- .080" thick cold rolled steel (based on size), Brillatone (Zinc)
- Weight rating of 335-710 lbs. per pair (based on length)
- Bracket has 2 engagement teeth to fasten standard to bracket and shelf lip at end of bracket
- For use in long runs of shelving
- Packed: 10 brackets per box

Length	Item #	Length	Item #
8"	RVS485-8	18"	RVS485-18
10"	RVS485-10	20"	RVS485-20
12"	RVS485-12	22"	RVS485-22
14"	RVS485-14	24"	RVS485-24

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y

**A REEVE ACCESSORIES**

**Steel Shelf Rests, Sockets, and Rubber Cushions**



\* = Sold in full boxes only.

	Item #	Description	Box Qty	Finish
A	RVS43-1	Use with right or left RV81 Series Brackets, RV4 Rubber Cushions included	144	Brillatone (Zinc)
B	RVS43-2	Use with RV41, 43, 81CZC and 485 Series Brackets, RV4 Rubber Cushions included	144	Brillatone (Zinc)
C	RVS743-C	Center Shelf Rest supports with mounting holes, RV4 Rubber Cushions included	144	Brillatone (Zinc)
D	RVS743-L	Left Shelf Rest supports with mounting holes, RV4 Rubber Cushions included	144	Brillatone (Zinc)
E	RVS743-R	Right Shelf Rest supports with mounting holes, RV4 Rubber Cushions included	144	Brillatone (Zinc)
F	RVS49-B	Bottom Socket for stabilizing RV20/40 Series Standards	100	Brillatone (Zinc)
G	RVS49-T	Top Socket for stabilizing RV20/40 Series Standards	100	Brillatone (Zinc)
H	RVS4	Rubber Cushion, 1/2" diameter, suction surface holds glass in place	100*	Gray



**Shelf Bracket For Slatwall**

- 14 gauge backplate, tempered steel bracket
- Finish: Chrome



Item #	Length
RVS108-10	10"
RVS108-12	12"
RVS108-14	14"
RVS108-16	16"



**1/4" Diameter Hook For Slatwall**

- 14 gauge cold rolled steel, 1"W
- Finishes: Chrome and Zinc



Length	Chrome Item #	Zinc Item #
4"	RVS91-4CH	RVS91-4-ZC
6"	RVS91-6CH	-
8"	RVS91-8CH	RVS91-8-ZC
10"	RVS91-10CH	RVS91-10-ZC
12"	RVS91-12CH	RVS91-12-ZC