



Mid-Temp Thinner

Features

- Thinner with a medium evaporation rate
- Suitable for mixing in certain paints and stains
- More aggressive than standard thinners

Applications

- Wood/furniture finishing and refinishing

Item #	Description
WRMIDTEMP-05	5 GAL MID-TEMP THINNER
WRMIDTEMP-55	55 GAL MID-TEMP THINNER

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Lacquer Thinner (Medium Dry)

Features

- Slower evaporation rate than standard thinner
- Increases dry time in paints and lacquers
- Eliminates lacquer “blushing”

Applications

- Useful in high heat applications where slower drying is required
- Perfect for cleaning spray equipment

Item #	Description
WRMEDIUMDRY-01	1 GAL MEDIUM DRY LACQUER THINNER
WRMEDIUMDRY-05	5 GAL MEDIUM DRY LACQUER THINNER
WRMEDIUMDRY-55	55 GAL MEDIUM DRY LACQUER THINNER

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Contact Cement Thinner

Features

- Reduces the viscosity of contact cement

Applications

- Ideal product for cleaning spray equipment after use
- Removes overspray and dried adhesive
- Excellent solvent for cleaning brushes, wood, metal, and glass

Item #	Description
WRCEMENTTHIN-01	1 GAL CONTACT CEMENT THINNER
WRCEMENTTHIN-05	5 GAL CONTACT CEMENT THINNER
WRCEMENTTHIN-55	55 GAL CONTACT CEMENT THINNER

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Acetone

Features

- Mixes easily with water and has a very fast evaporation rate
- Thins the viscosity of lacquer solutions
- VOC exempt

Applications

- Reduces the viscosity of lacquers and two part epoxies
- Thins oil-based paints and polyester resins
- Tool cleaner

Item #	Description
WRACETONE-01	1 GAL ACETONE
WRACETONE-05	5 GAL ACETONE
WRACETONE-55	55 GAL ACETONE

Note: This product can be sold in all 50 states.



Denatured Alcohol

Features

- Less aggressive cleaning solution when surface integrity is in question

Applications

- Used to clean and thin shellac
- Removes dried latex paint and ink
- Used to wipe down wood surfaces to remove moisture before finishing
- Highly effective as a solvent and cleaning agent

Item #	Description
WRDENALCOHOL-01	1 GAL DENATURED ALCOHOL
WRDENALCOHOL-05	5 GAL DENATURED ALCOHOL
WRDENALCOHOL-55	55 GAL DENATURED ALCOHOL

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Isopropyl Alcohol

Features

- Fast evaporation rate
- Easily dissolvable in a wide range of chemical compounds
- Less aggressive cleaning solution when surface integrity is in question

Applications

- Used to clean and thin shellac
- Used to wipe down wood surfaces to remove moisture before finishing
- Highly effective as a solvent and cleaning agent

Item #	Description
WRISOALCOHOL-01	1 GAL ISOPROPYL ALCOHOL
WRISOALCOHOL-05	5 GAL ISOPROPYL ALCOHOL
WRISOALCOHOL-55	55 GAL ISOPROPYL ALCOHOL

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Mineral Spirits

Features

- Solvent-based oil paint thinner and cleaner
- Slow rate of evaporation
- Low odor

Applications

- Dissolves wax, oil, and greasy grime from wood and metal surfaces
- Reduces dry time of oil-based glazes and paints
- Great for cleaning brushes and rollers

Item #	Description
WRMINSPIRITS-01	1 GAL MINERAL SPIRITS
WRMINSPIRITS-05	5 GAL MINERAL SPIRITS
WRMINSPIRITS-55	55 GAL MINERAL SPIRITS

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Methyl Ethyl Ketone

Features

- Slower rate of evaporation than acetone

Applications

- Removes contact cement, ink, adhesives, and heavy grease/grime
- Reduces coatings and resins in fiberglass repair

Item #	Description
WRMEK-01	1 GAL METHYL ETHYL KETONE
WRMEK-05	5 GAL METHYL ETHYL KETONE
WRMEK-55	55 GAL METHYL ETHYL KETONE

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Naphtha

Features

- Stronger than mineral spirits with a faster rate of evaporation

Applications

- Perfect cleaner for metal surfaces and tools
- Great for cleaning brushes
- Can be used to thin Spar Varnish, epoxies, and oil-based paints

Item #	Description
WRNAPHTHA-01	1 GAL NAPHTHA
WRNAPHTHA-05	5 GAL NAPHTHA
WRNAPHTHA-55	55 GAL NAPHTHA

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Butyl Acetate

Features

- Acts as cleaning solvent

Applications

- Used for thinning urethane coatings
- For use on paint, coatings, and a variety of industrial applications

Item #	Description
WRNBA-05	5 GAL N-BUTYL ACETATE
WRNBA-55	55 GAL N-BUTYL ACETATE

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Methyl Amyl Ketone (MAK)

Features

- High solvency
- Works with cellulosic lacquer and acrylic lacquers

Applications

- For solvent borne painted and stained surfaces

Item #	Description
WRMAK-05	5 GAL METHYL AMYL KETONE

Note: This product is not for sale in the following states: CA, CT, DE, MD, NH, RI, and UT.



Lacquer Retarder

Features

- Lacquer additive with a slower evaporation rate than standard and medium dry thinner

Applications

- Great for increasing dry time in paints and lacquers
- Useful in high heat applications where slower drying is desired
- Eliminates lacquer "blushing"

Item #	Description
WRRETARDER-05	5 GAL LACQUER RETARDER

Note: This product can be sold in all 50 states.

CAL Compliant Wash Thinner

Features

- Can be sold in the state of California
- Faster evaporation rate than standard thinner and modest cleaning power

Applications

- For cleaning spray equipment in industrial wood or metal finishing
- Can be mixed with certain stains and paints

Item #	Description
WRCATHINNER-01	1 GAL CAL COMPLIANT THINNER
WRCATHINNER-05	5 GAL CAL COMPLIANT THINNER
WRCATHINNER-55	55 GAL CAL COMPLIANT THINNER

Note: This product can be sold in all 50 states.



Wash Thinner

Features

- Lacquer thinner with faster evaporation rate than the standard thinner and medium cleaning power

Applications

- For cleaning spray equipment in Industrial wood or metal finishing
- Can be mixed with certain stains and paints

Item #	Description
WRWSHTHINNER-01	1 GAL WASH THINNER
WRWSHTHINNER-05	5 GAL WASH THINNER
WRWSHTHINNER-55	55 GAL WASH THINNER

Note: This product is not for sale in the following states CA, CT, DE, MD, NH, RI, and UT.





Table Top and Bar Epoxy Resin & Hardener

Features

- Two part professional component epoxy coating designed for table, bar top, and slab wood applications
- Coats can be 1/8" to 1/4" thick
- Easy to use formula with a 1 to 1 mixing ratio
- Once cured, finish provides a thick, clear protective coating impervious to alcohol, solvents, and everyday use
- 100% solids
- Cure times can vary depending on temperature, humidity, and thickness


Applications

- Great for bar tops, table tops, and wood slabs (incredible gap filling properties)
- Can be used for decoupage projects
- Pour over or brush applications

Item #	Description
WRTABLETOPEPOXY	1 GAL RESIN & 1 GAL HARDENER

Coverage Chart

Area	Resin Mixture
Seal Coat	
1 sq. ft.	3 oz
4 sq. ft.	11 oz
10 sq. ft.	26 oz
16 sq. ft.	42 oz
24 sq. ft.	64 oz
Flood Coat	
1 sq. ft.	8 oz
4 sq. ft.	32 oz
10 sq. ft.	80 oz
16 sq. ft.	128 oz
24 sq. ft.	192 oz



SOLVENTS & CHEMICALS

Würth Louis and Company
 895 Columbia Street
 Brea, CA 92821
 www.wurthlac.com
 (714) 529-1771
 (800) 422-4389

Other locations:

Anaheim, CA
 Baton Rouge, LA
 Benton, AR
 Boise, ID
 Denver, CO

Grand Prairie, TX
 Houston, TX
 Idaho Falls, ID
 Lacey, WA
 Las Vegas, NV
 Oklahoma City, OK

Phoenix, AZ
 Portland, OR
 San Antonio, TX
 San Marcos, CA
 Spokane, WA
 St. George, UT
 West Jordan, UT

Source code: LP1312

