According to Regulation (EC) No 1907/2006 (REACH)
Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier: Blended Acrylic Solid Surface

Substances

Substance name: Unsaturated Polyester Resin 38%

CAS No.: 26123-45-5

Index No:

EC No: REACH Registration No:

Substance name: Acrylic Resin (MMA) 15%

CAS No.: 80-62-6

Index No:

EC No: REACH Registration No:

Substance name: Hydrated Alumina, Aluminum Hydroxide, Aluminum Trihydroxide 43%

CAS No.: 21645-51-2

Index No:

EC No: REACH Registration No: Substance name: Fillers & Pigments 4%

CAS No.: 13463-67-7

Index No:

EC No: REACH Registration No:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material used for decorative surfacing in both vertical and horizontal applications. This product is classified as a Class A product under ASTM E84.

1.3 Details of the supplier of the safety data sheet:

Name: Guangdong Xinmeiji Industrial Co., Ltd.

Address: Nanhua Road 2, Gaolan Port Fine Chemical Industrial Park

Zhuhai, Guangdong, China 519050 Information contact: Cara Zhang

E-Mail (competent person) cara@durasein.com

Importer Representative:

Name Relang International, LLC

Address 10440 Little Patuxent Parkway, Suite 343

Columbia, MD 21044

Information contact Keith Haight

E-Mail (competent person) keith.haight@duraseinusa.com

1.4 Emergency Telephone Number:

+1 866 509 6494

Würth Louis and Company

www.wurthlac.com

Albuquerque, NM	10001 122 5052
Anaheim, CA	(800) 422-4389
Baton Rouge, LA	. (800) 444-0043
Benton, AR	(501) 778-6500
Brea CA	(800) 422-4389

Denver, CO	(888) 422-5852
Fremont, CA	(800) 422-4467
Grand Prairie, TX	(800) 444-0043
Houston, TX	(800) 798-4150
Idaho Falls, ID	(800) 224-8490

₋as Vegas, NV	(800) 472-7755
Oklahoma City, OK	(800) 444-0043
Phoenix, AZ	(800) 472-7755
Portland, OR	(800) 452-2621
Salt Lake City, UT	(800) 224-8490

San Antonio, TX.....(800) 444-0043 San Marcos, CA....(800) 422-4389 Seattle, WA.......(800) 452-2621 Spokane, WA......(800) 452-2621 St. George, UT......(800) 224-8490 West Jordan, UT.....(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)
Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



2.1. Classification of the substance or mixture: Non-reactive and chemically stable

2.2 Label elements N/A

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS] N/A

Product identifier:

Substances:)

Index No

Authorization No

Mixtures:

MethaSol

Hazard[HAD19] components for labeling:

Substance 1

Authorization[HAD(20] No

Hazard pictograms



Signal word:

Danger

2.3 Hazard statements: N/A

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure
H360D	May damage the unborn child.
H410	Very toxic to aquatic life with long lasting effects.

2.4 Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection when performing fabrication processes such as sanding, cutting, and gluing

Supplemental Hazard information (EU): N/A

Special rules for supplemental label elements for certain mixtures:

Additional labeling: N/A

Würth Louis and Company

Albuquerque, NM(888) 422-5852	Denver, CO (888) 422-5852	Las Vegas, NV(800) 472-7755	San Antonio, TX(800) 444-0043
Anaheim, CA(800) 422-4389	Fremont, CA (800) 422-4467	Oklahoma City, OK(800) 444-0043	San Marcos, CA(800) 422-4389
Baton Rouge, LA (800) 444-0043	Grand Prairie, TX (800) 444-0043	Phoenix, AZ(800) 472-7755	Seattle, WA(800) 452-2621
Benton, AR(501) 778-6500	Houston, TX (800) 798-4150	Portland, OR(800) 452-2621	Spokane, WA(800) 452-2621
Brea, CA(800) 422-4389	Idaho Falls, ID (800) 224-8490	Salt Lake City, UT(800) 224-8490	St. George, UT (800) 224-8490
			West Jordan, UT(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)
Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 3. Composition/information on ingredients

3.1 Substances

Substance name: Unsaturated Polyester Resin 38%

CAS No.: 26123-45-5

Index No: EC No:

REACH Registration No:

Substance name: Acrylic Resin (MMA) 15%

CAS No.: 80-62-6

Index No:

EC No: REACH Registration No:

Substance name: Hydrated Alumina, Aluminum Hydroxide, Aluminum Trihydroxide 43%

CAS No.: 21645-51-2

Index No: EC No:

REACH Registration No:

Substance name: Fillers & Pigments 4%

CAS No.: 13463-67-7

Index No: EC No:

REACH Registration No:

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material used for decorative surfacing in both vertical and horizontal applications. This product is classified as a Class A product under ASTM E84.

Following inhalation: Durasein 100% Acrylic Solid Surface is sold as a solid sheet material therefore does not present an inhalation hazard. However, fabrication practices such as cutting and sanding may present a dust which may be an irritant to eyes, nose, and throat. For persistent irritation, seek medical attention.

Following skin contact: Durasein 100% Acrylic Solid Surface is sold as a solid sheet material therefore does not present a skin contact hazard. However, fabrication practices such as cutting and sanding may present a dust which may be an irritant to skin. Cut or routed edges may be sharp enough to lacerate skin. For minor irritation, wash with soap and water. For persistent irritation, seek medical attention.

Following eye contact: Durasein 100% Acrylic Solid Surface is sold as a solid sheet material therefore does not present an eye contact hazard. However, fabrication practices such as cutting and sanding may present a dust which may be an irritant to eyes. For minor irritation, flush eyes for minimum 15 minutes with water. For persistent irritation, seek medical attention.

Following ingestion: Durasein 100% Acrylic Solid Surface is sold as a solid sheet material therefore does not present an injection hazard.

Self-protection of the first aider: N/A

Würth Louis and Company

www.wurthlac.com

Albuquerque, NM	(888) 422-5852
Anaheim, CA	(800) 422-4389
Baton Rouge, LA	(800) 444-0043
Benton, AR	(501) <i>77</i> 8-6500
Brea, CA	(800) 422-4389

Denver, CO	(888)	422-5852
Fremont, CA	(800)	422-4467
Grand Prairie, TX	(800)	444-0043
Houston, TX	(800)	798-4150
Idaho Falls, ID	(800)	224-8490

Las Vegas, NV......(800) 472-7755 Oklahoma City, OK....(800) 444-0043 Phoenix, AZ.....(800) 472-7755 Portland, OR.....(800) 452-2621 Salt Lake City, UT....(800) 224-8490 San Antonio, TX.....(800) 444-0043 San Marcos, CA....(800) 422-4389 Seattle, WA.......(800) 452-2621 Spokane, WA......(800) 452-2621 St. George, UT......(800) 224-8490 West Jordan, UT.....(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH) Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 5: Firefighting measures

5.1 Extinguishing media: Suitable extinguishing media: Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material used for decorative surfacing in both vertical and horizontal applications. This product is classified as a Class A product under ASTM E84.

Use fire fighting equipment and procedures appropriate for any surrounding environment.

5.2 Special hazards arising from the substance or mixture N/A:

Hazardous combustion products: Carbon monoxide, carbon dioxide, and MMA vapor.

5.3 Advice for fire-fighters: Use fire fighting equipment and procedures appropriate for any surrounding environment.

Additional information:

Look at tests (i.e., flash point, E84 result, etc.)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material used for decorative surfacing in both vertical and horizontal applications. This product is classified as a Class A product under ASTM E84.

For emergency responders Use fire fighting PPE and procedures appropriate for any surrounding environment.

6.2 Environmental precautions: N/A

6.3 Methods and material for containment and cleaning up N/A

Section 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling: Use standard safe material handling practices including proper PPE and lifting practices.

Fire preventions: Durasein Solid Surface is classified as Class A under ASTM E84.

Aerosol and dust generation preventions: Use appropriate dust collection systems to collect dust at the source. Optimize housekeeping practices to prevent the build up of dust. Avoid the use of compressed air as a method of cleaning surfaces.

Environmental precautions: N/A

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions: Use appropriate material handling equipment and procedures and store in a dry, well ventilated area. Be sure that any storage racks are design to adequately support the weight of the materials. Forklifts and other handling devices should also be rated to safely handle material throughout all operations.

Packaging materials: N/A

7.3 Specific end uses: N/A

Würth Louis and Company

www.wurthlac.com

Albuquerque, NM(888) 422-5852	Denver, CO (888) 422-5852	Las Vegas, NV(800) 472-7755	San Antonio, TX(800) 444-0043
Anaheim, CA(800) 422-4389	Fremont, CA (800) 422-4467	Oklahoma City, OK(800) 444-0043	San Marcos, CA(800) 422-4389
Baton Rouge, LA (800) 444-0043	Grand Prairie, TX (800) 444-0043	Phoenix, AZ(800) 472-7755	Seattle, WA(800) 452-2621
Benton, AR(501) 778-6500	Houston, TX (800) 798-4150	Portland, OR(800) 452-2621	Spokane, WA(800) 452-2621
Brea, CA(800) 422-4389	Idaho Falls, ID (800) 224-8490	Salt Lake City, UT(800) 224-8490	St. George, UT (800) 224-8490
			West Jordan, UT(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)

Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 8: Exposure controls/personal protection

8.1.1 Occupational exposure limits:

Substance Name:

Methyl Methacrylate (Acrylic Resin) (CAS 80-62-6):

Dust from Fabrication

Exposure Limits:

OSHA PEL: TWA 100 ppm ACGIH TLV: TWA 50 ppm

STEL 100 ppm

OSHA PEL: TWA 5 mg/m3 (respirable)

TWA 15 mg/m3 (total)

8.1.2 Biological limit values: N/A

8.1.3 Exposure limits at intended use: None

8.2 Exposure[HAD52] controls

8.2.1 Appropriate engineering controls: Appropriate dust collection and ventilation systems to collect dust and vapors at the source.

8.2.2 Personal protective equipment:

Eye / Face protection:

Suitable eye protection: Safety glasses

Skin protection:

Hand protection: Wear gloves when handling and transporting sheet

Body protection: N/A

Other skin protection measures: N/A

Respiratory protection: Dust mask may be desirable if dust from production becomes too irritating. A respirator program is not necessary however if

this is a desired control method, refer to OSHA Code of Regulations 29 CFR 1910.134

Thermal Hazards: None

8.2.3 Environmental exposure controls: N/A

Würth Louis and Company

Albuquerque, NM....(888) 422-5852 Denv Anaheim, CA......(800) 422-4389 Frem Baton Rouge, LA.....(800) 444-0043 Gran Benton, AR.....(501) 778-6500 Hou

Brea, CA.....(800) 422-4389

 Las Vegas, NV......(800) 472-7755 Oklahoma City, OK....(800) 444-0043 Phoenix, AZ.....(800) 472-7755 Portland, OR.....(800) 452-2621 Salt Lake City, UT....(800) 224-8490 San Antonio, TX......(800) 444-0043 San Marcos, CA....(800) 422-4389 Seattle, WA.......(800) 452-2621 Spokane, WA.......(800) 452-2621 St. George, UT......(800) 224-8490 West Jordan, UT......(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)
Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



9.1 Information on basic physical and chemical properties

Appearance Durasein Solid Surface is a solid sheet material consisting of various colors, aesthetic patterns and dimensions.

	Value	Concentration	Method	Temperature	Pressure	Remark
рН	N/A					
Melting point/freezing point	N/A					
Initial boiling point/boiling range	N/A					
Flash point	N/A					
Evaporation rate	N/A					
Flammability (solid, gas)	N/A					
Upper/lower flammability or explosive limit	N/A					
Upper explosive limits	N/A					
Lower explosive limits	N/A					
Vapour pressure	N/A					
Vapour density	N/A					
Relative density	1.729 g/cm ³					
Soluability(ies)	Inso Iuable					
Partition coefficient: n-octanol/water	N/A					
Auto-ignition temperature	N/A					
Decomposition temperature	N/A					
Viscosity	N/A					
Viscosity, dynamic						
Viscosity, cinematic						
Explosive properties	N/A					
Oxidising properties	N/A					

9.2 Other information: Physical hazards: None

SECTION 10: Stability and reactivity

10.1 Reactivity Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material.

10.2 Chemical stability Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material.

Würth Louis and Company

NIA (000) 400 5050

Albuquerque, NM	(888) 422-5852
Anaheim, CA	(800) 422-4389
Baton Rouge, LA	. (800) 444-0043
Benton, AR	(501) 778-6500
Brea, CA	(800) 422-4389

Denver, CO	(888) 422-5852
Fremont, CA	(800) 422-4467
Grand Prairie, TX	(800) 444-0043
Houston, TX	(800) 798-4150
Idaho Falls, ID	(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)

Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material that is non-toxic.

11.1.1 Substances

Acute toxicity None

Skin corrosion/irritation None

Eye damage/irritation Safety glasses should be worn during fabrication and installation processes.

Sensitisation to the respiratory tract/skin Standard fabrication and installation processes may generate dust which may be irritating.

SECTION 12: Ecological information

12.1 Toxicity: Durasein 100% Acrylic Solid Surface is a non-reactive and chemically stable solid sheet material that is non-toxic.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product / Packaging disposal: Durasein 100% Acrylic Solid Surface is not listed as a hazardous material or waste. Disposal can occur in accordance with local, state, and federal regulations.

SECTION 14: Transport information

	Land transport (ADR/RID)	Inland waterway transport (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI/IATA-DGR)
14.1 UN No.	N/A	N/A	N/A	N/A
14.2 UN Proper shipping name	N/A	N/A	N/A	N/A
14.3 Transport hazard class(es)	N/A	N/A	N/A	N/A
Hazard label(s)				
14.4 Packing group	N/A	N/A	N/A	N/A
14.5 Environmental hazards	N/A	N/A	N/A	N/A

14.6 Special precautions for user N/A

Würth Louis and Company

Albuquerque, NM....(888) 422-5852

Anaheim, CA.....(800) 422-4389

Baton Rouge, LA..... (800) 444-0043

Benton, AR.....(501) 778-6500

Brea, CA.....(800) 422-4389

Idaho Falls, ID....... (800) 224-8490

Las Vegas, NV.......(800) 472-7755 Oklahoma City, OK.....(800) 444-0043 Phoenix, AZ.......(800) 472-7755 Portland, OR.....(800) 452-2621 Salt Lake City, UT....(800) 224-8490 San Antonio, TX.....(800) 444-0043 San Marcos, CA....(800) 422-4389 Seattle, WA......(800) 452-2621 Spokane, WA......(800) 452-2621 St. George, UT......(800) 224-8490 West Jordan, UT.....(800) 224-8490

According to Regulation (EC) No 1907/2006 (REACH)
Blended Acrylic Solid Surface Version: 3.0 Rev: 18.05.2016



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Durasein 100% Acrylic Solid Surface is not listed as a hazardous material therefore does not require special regulations.

15.1.2 National regulations None

15.2 Chemical Safety Assessment:

For this material a chemical safety assessment is not required.

SECTION 16: Other information 16.1 Indication of changes

16.7 Further information:

This SDS has been prepared by the Relang International Technical Service Division.

The information provided in this document is accurate and complete to the best of our knowledge. This document should serve as a guide for safe handling of Durasein 100% Solid Surface. For further information, contact Relang International at www.duraseinusa.com

Würth Louis and Company

Albuquerque, NM	(888) 422-5852
Anaheim, CA	(800) 422-4389
Baton Rouge, LA	. (800) 444-0043
Benton, AR	(501) <i>77</i> 8-6500
Brea, CA	(800) 422-4389

Denver, CO (888) 422-5852
Fremont, CA (800) 422-4467
Grand Prairie, TX (800) 444-0043
Houston, TX (800) 798-4150
Idaho Falls, ID (800) 224-8490

Las Vegas, NV	(800) 4/2-//53
Oklahoma City, OK	(800) 444-0043
Phoenix, AZ	(800) 472-7755
Portland, OR	(800) 452-262
Salt Lake City, UT	(800) 224-8490