

Safety Data Sheet

Titebond Contractor Grade Heavy Duty Construction Adhesive

Section 1. Identification

GHS product identifier	Titebond Contractor Grade Heavy Duty Construction Adhesive)
Physical state	Liquid.	
Address	Franklin International 2020 Bruck Street Columbus OH 43207	
Contact person	Franklin Technical Services	
Telephone	(800) 877-4583	
In case of emergency	Franklin Security (614) 445-1300	
e-mail address of person responsible for this SDS	SDS@FranklinInternational.com	
Reference number	3631	
Product code	7471	
Date of revision	3/25/2025	
Safety Data Sheets are available online at	www.FranklinInternational.com	
Chemtrec (24 Hour)	(800) 424 - 9300	
Chemtrec International	+1 703-741-5970	
Chemical family	Adhesive.	
Relevant identified uses of	e substance or mixture and uses advised against	
Identified uses		
Not applicable.		

Not applicable.

Uses advised against

Not applicable.

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the 0 Standard (29 CFR 1910.1200), this SDS contains valua safe handling and proper use of the product. This SDS s for employees and other users of this product.	ble information critical to	the
Classification of the substance or mixture	: Not classified.		
GHS label elements			
Signal word	: No signal word.		
Hazard statements	: No known significant effects or critical hazards.		
Precautionary statemer	<u>nts</u>		
Prevention	: Do not swallow. Do not eat, drink or smoke when using	this product.	
Response	: Not applicable.		
Storage	: Not applicable.		
Disposal	: Not applicable.		
Date of issue/Date of revision	: 3/25/2025	Version : 3.1	1/9

Section 2. Hazards identification

Hazards not otherwise classified

: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if needed.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if needed.
Ingestion	 Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if needed.
Most important sympto	oms/effects, acute and delayed

Most important symptoms/effects, acute and delayed

Potential acute health effec	<u>ts</u>
Eye contact	: This product may irritate eyes upon contact.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate med	ical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
See toxicological information	n (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	entainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store between the following temperatures: 10 to 32°C (50 to 89.6°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>res</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
_	

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Liquid. [Paste.]
Color	: Beige.
Odor	: Characteristic. [Slight]
Odor threshold	: Not available.
рН	: 7 .5 to 9.5
Melting point/freezing point	: Not available.
Boiling point or initial boiling point and boiling range	: 100°C (212°F)

Section 9. Physical and chemical properties

1

Flash point	: Closed cup: >93.333°C (>200°F) [Setaflash] [Product does not sustain combustion.]
Evaporation rate	: <1 (butyl acetate = 1)
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not available.
VOC (less water, less exempt solvents)	: 48.91 g/l

Vapor pressure

	Vapor Pressure at 20°C			Vapor pressure at 50°C			
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method	
water	17.5	2.3					
Relative vapor density	: Not ava	ailable.			!		
Relative density	: 1.2995						
Solubility in water	: Not available.						
Miscible with water	: Yes.						
Partition coefficient: n- octanol/water	: Not applicable.						
Auto-ignition temperature	: Not applicable.						
Decomposition temperature							
Viscosity	Kinema	 Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): Not available. 					

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects			
Acute toxicity			
Not available.			
Conclusion/Summary [Product]	: Not available.		
Skin corrosion/irritation			
Not available.			
Conclusion/Summary [Product]	: Prolonged or repeated contact can defat the skin cracking and/or dermatitis.	and lead to irritation,	
Serious eye damage/eye irritation			
Not available.			
Conclusion/Summary [Product]	: This product may irritate eyes upon contact.		
Date of issue/Date of revision : 3/25/2025		Version : 3.1	5/9

Section 11. Toxicological information

Respiratory corrosion/irritation Not available.	<u>on</u>
Conclusion/Summary [Proc	-
Respiratory or skin sensitiza	ition
Not available.	
Skin	
Conclusion/Summary [Proc	duct] : Not available.
Respiratory	
Conclusion/Summary [Proc	duct] : Not available.
Germ cell mutagenicity	
Not available.	
Conclusion/Summary [Proc	duct] : Not available.
Carcinogenicity	
Not available.	
Conclusion/Summary [Proc	duct] : Not available.
Reproductive toxicity	-
Not available.	
Conclusion/Summary [Prod	duct] : Not available.
Specific target organ toxicity	-
Not available.	
Specific target organ toxicity	(repeated exposure)
Not available.	
Aspiration hazard	
Not available.	
Information on the likely rout	tes of exposure
Routes of entry anticipated: Or	ral, Dermal, Inhalation, Eyes.
Potential acute health effects	<u>8</u>
Eye contact	: This product may irritate eyes upon contact.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
-	
-	vsical, chemical and toxicological characteristics
-	 <u>sical, chemical and toxicological characteristics</u> No specific data.
Symptoms related to the phy	
Symptoms related to the phy Eye contact	: No specific data.
Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion	 No specific data. No specific data. No specific data. No specific data.
Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion Delayed and immediate effect	No specific data.No specific data.No specific data.
Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion Delayed and immediate effect Short term exposure	 No specific data. Stand also chronic effects from short and long term exposure.
Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion Delayed and immediate effect	 No specific data. No specific data. No specific data. No specific data.
Symptoms related to the phy Eye contact Inhalation Skin contact Ingestion Delayed and immediate effect Short term exposure Potential immediate	 No specific data. Stand also chronic effects from short and long term exposure.

Section 11. Toxico Potential immediate effects	: Not availa						
Potential delayed effects	: Not availa	ole.					
Potential chronic health eff	<u>ects</u>						
Not available.							
Not available.							
Conclusion/Summary [Pr	oduct] :	Not available.					
General		significant effects	s or criti	ical hazards	s.		
Carcinogenicity	No known significant effects or critical hazards.						
Mutagenicity	: No known significant effects or critical hazards.						
Reproductive toxicity	: No known	significant effects	s or criti	ical hazards	i.		
Numerical measures of tox	icity	-					
Acute toxicity estimates							
Product/ingredient name		Oral kg)	(mg/	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
CONTRACTOR GRADE HE	EAVY DUTY DE	V 2500)	N/A	N/A	N/A	N/A
Section 12. Ecolog	gical info	rmation		-	-		

Conclusion/Summary [Produc	t] : Not available.
Persistence and degradability	
Not available.	
Conclusion/Summary [Produc	t] : Not available.
Bioaccumulative potential	
Not available.	
<u>Mobility in soil</u>	
Soil/Water partition : N coefficient	lot available.
Other adverse effects	

No known significant effects or critical hazards.

Titebond Contractor Grade Heavy Duty Construction Adhesive

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Titebond Contractor Grade Heavy Duty Construction Adhesive

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Section 15. Regulatory information

U.S. Federal regulations

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ: Not applicable.SARA 311/312: Not applicable.Classification: Not applicable.Composition/information on ingredients

No products were found.

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: PROPYLENE GLYCOL
Pennsylvania	: The following components are listed: 1,2-PROPANEDIOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

<u>Chemical Weapon Convention List Schedules I, II & III Chemicals</u> Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Section 15. Regulatory information

Not listed.

Inventory list

China

: Not determined.

United States TSCA 8(b) inventory

: All components are active or exempted.

Section 16. Other information

Procedure used to derive the classification

	Justification				
Not classified.					
History					
Date of printing	: 3/25/2025				
Date of issue/Date of revision	: 3/25/2025				
Date of previous issue	: 8/6/2024				
Version	: 3.1				
Key to abbreviations	IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition co MARPOL = International Convention for the Prevent	 a = Bioconcentration Factor b = Globally Harmonized System of Classification and Labelling of Chemicals c = International Air Transport Association a = Internediate Bulk Container G = International Maritime Dangerous Goods Pow = logarithm of the octanol/water partition coefficient RPOL = International Convention for the Prevention of Pollution From Ships, 1973 modified by the Protocol of 1978. ("Marpol" = marine pollution) 			
References	: Not available.				

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.